

PROFESSIONAL POWER TOOL SOLUTIONS

www.metabo.com/uk

Our experience is working for you

Over 98 years of experience

Since 1924 we have been working with passion, dynamics, confidence and courage. It all started with our Metallbohrdreher (metal drill), our namesake. From the world's first impact drill to our innovative Metabo Ultra-M battery pack technology: Metabo power tools set standards in terms of productivity, robustness, safety and



Systemised innovation

In all Metabo machines there are technologies delivering special features: From the Metabo Ultra-M battery technology to the Autobalancer in angle grinders, or the Metabo Quick System, which allows you a tool free change of application and enables you to work quickly and efficiently.







Productivity

Our tools feature convincing technical solutions, offering you plenty of benefits. Minimal processing times yield maximum results. This helps you to save valuable time and reduce your costs.



Safety

The less time lost due to work related illness, the higher your productivity. Our products offer utmost safety and protection for the user- with this we are setting new standards in the market.



Robustness

Metabo's machines and accessories guarantee best quality, absolute reliability and unparalleled service life - for uncompromising high performance even in the harshest of conditions.



Service

From application analysis to individual product and system solutions, fast spare parts and repair service: Your workflow is our commitment.

TOOLS, ACCESSORIES AND SERVICE FROM NÜRTINGEN, GERMANY

In every Metabo tool there is traditional German engineering ingenuity. Since 1924 we have been developing innovative ideas in our Nürtigen plant and have been implementing them into pioneering tools and perfect accessories for professional users directly on site. Our service, tailor-made to your requirements, also makes us a strong partner for the industrial sector.





Steel parts with hardening plant



Motor production



Assembly



Mould construction





Aluminium foundry



Plastic injection moulding



Mechanical production

CONTENTS

Introduction: Metabo	02-03
12 Volt Cordless	05-19
- 12 V Drill/Drivers & Hammer Drills	06-07
- 12 V Impact Drivers / SDS+ Rotary Hammer	08-09
- 12 V Sabre Saw / Angle Grinder	10-11
- 12 V Sanders	12-13
- 12 V Multi-tool & Accessories	14-15
- 12 V Grass/Shrub Shears	16
- 12 V Caulking Gun / LED Lamp	17
- 12 V Combo sets	18
- 12 V Batteries & Chargers	19
The Right Battery for the right application?	20-21
Cordless Alliance System (CAS)	22-23
Your Perfect System	24-25
LiHD Battery Technology	26-27
18 V Class Overview	28-29
- 18 V L Class Combi Drill	30
- 18 V LT Class Combi Drills	31-32
- 18 V LTX Class Drill/Drivers / Combi Drills	33-38
- 18 V LTX Class Combo Sets / kits	39-43
Accessories: Bit / Drill Sets / Hole Saw Sets	44-46
Storage Solutions / metaBOX system	47-51
- 18 V Impact Driver / Wrench	52-60
- 18 V - 36 V SDS+ Hammers	61-66
Accessories SDS+	67

- 18 V SDS Max Hammer / Accessories	68-69
- 18 V Plunge Cut Circular Saw	71
- 18 V Circular Saws	72-74
Accessories - Saw Blades / Guide Rails	75-77
- 18 V Sabre Saws	78-81
- 18 V Jigsaws	82-83
- 18 V Planer / Multi-Tools & Accessories	84-89
- 18 V Sander	90-91
- 18 V - 36 V Tablesaws	92-93
- 18 V Dry Wall Screwdrivers	94-95
- 18 V Paddle Mixer / Heat Gun	96-97
- 18 V Caulking Guns	98
- 18 V Cordless Vacuums & Accessories	99-103
- 18 V Angle Grinders	104-111
- 18 V Metal Nibbler and Shears	112-113
- 18 V Die Grinders / Compressor	114-115
- 18 V Rivet Gun / Rivet Nut Gun	116-117
- 18 V Metal Drill / Cordless Tapper	118-119
- 18 V Cordless Fan Heater	120-121
- 18 V Site Lighting / LED Lamps	122-124
- 18 V Other Cordless Tools	125-127
- 18 V Cordless Garden Range	128-145
Battery pack runtimes at a glance	146-149
- 18 V Batteries, Sets & Chargers	150-151
XXL Warranty / Metabo Full Service	154-155



3 Years warranty

Metabo give you an unlimited charge cycle warranty on your batteries.

The 12 Volt cordless machines from Metabo make everyday work easier. Less weight. More power.

12 V

The compact class.

The small power packs ...

- Slim and compact handle for optimal handling
- Low weight permits longer working, also overhead
- Shorter design makes use in confined spaces easier
- Particularly compact with the Li-Power battery pack



... with plenty of power.

- Unique brushless motor for highest efficiency for any application
- Even more performance thanks to the Metabo LiHD battery pack technology



POWERMAXX BS 12 BL Q PRO PACK!

- Brushless drill/screwdriver with compact design for universal and demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Integrated LED work light with night light function for optimal brightness in the work area

For more information and technical specifications: see below



Scope of delivery













Battery options	Order No.
2 LiHD (12 V/4.0 Ah) + ASC 55 Charger	UK601039801

POWERMAXX BS 12 BL Q CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with compact design for universal and demanding applications
- The Metabo 12 Volt class lightweight, yet powerful
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Integrated LED work light with night light function for optimal brightness in the work area

Battery pack voltage	12 V
Maximum torque - soft / hard	18 Nm / 45 Nm
Drill Ø steel / softwood	10 mm / 25 mm
No load speed	0-500 / 0-1650 rpm

POWERMAXX BS 12 BL Q Scope of delivery

Quick change chuck, Belt hook and bit holder, metaBOX 118

Full Service price group FS2



Body only + metaBOX 118

Battery options





Order No.

601039800

601039840



POWERMAXX BS 12 CORDLESS DRILL/SCREWDRIVER

- Light compact drill/screwdriver with extremely compact design for versatile use
- The Metabo 12 Volt class lightweight, yet powerful
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

Battery pack voltage	12 V
Maximum torque - soft / hard	17 Nm / 40 Nm
Drill Ø steel / softwood	10 mm / 18 mm
No load speed	0-360 / 0-1400 rpm

Battery options	Order No.
2 x 12 V 2.0Ah Li-Power + SC30	601036590
Body only + metaBOX 118	601036840

POWERMAXX BS 12 Scope of delivery

Keyless chuck, Belt hook and bit holder, metaBOX 118

Full Service price group FS1





POWERMAXX BS 12 Q CORDLESS DRILL/SCREWDRIVER

- Light compact drill/screwdriver with extremely compact design for versatile use
- The Metabo 12 Volt class lightweight, yet powerful
- Metabo Quick System: quick change of bit retainer and bits, for flexible working

Battery pack voltage	12 V
Maximum torque - soft / hard	17 Nm / 40 Nm
Drill Ø steel / softwood	10 mm / 18 mm
No load speed	0-360 / 0-1400 rpm

Battery options	Order No.
2 x 12 V 2.0Ah Li-Power + SC30 + metaBOX 118	601037500

POWERMAXX BS 12 Q Scope of delivery

Quick-change chuck, Belt hook and bit holder, metaBOX 118

Full Service price group FS1

Full Service price group FS1







POWERMAXX SB 12 BL CORDLESS HAMMER DRILL

- Brushless hammer drill with compact design for universal and demanding applications
- The Metabo 12 Volt class lightweight, yet powerful
- Hammer drill function for drilling in masonry

Battery pack voltage	12 V
Maximum torque - soft / hard	18 Nm / 45 Nm
Drill Ø masonry / steel	10 mm / 10 mm
Drill Ø steel / softwood	25 mm

POWERMAXX SB 12 BL Scope of delivery

Keyless chuck, Belt hook and bit holder, metaBOX 118

Battery options	Order No.
2 x LiHD (12V 4.0Ah) + ASC 55	601077800
Body only + metaBOX 118	601077840













2 LiHD (12 V/4.0Ah) + ASC 55 Charger



POWERMAXX SSD 12 BL CORDLESS IMPACT DRIVER

- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- The Metabo 12 Volt class lightweight, yet powerful
- Compact cordless impact driver for tough applications
- Robust die cast aluminium gear housing for optimum heat dissipation and durability

Battery pack voltage	12 V
Maximum torque	140 Nm
Speed/torque levels	2
Bit retainer	Hexagon recess 1/4" 6.35mm

POWERMAXX SSD 12 BL Scope of delivery

Belt hook and bit holder, metaBOX 118

Battery options	Order No.
Body only + metaBOX 118	601115840

^{*} See page 19 for Battery Set options

Full Service price group FS2



POWERMAXX BH 12 BL 16 CORDLESS ROTARY HAMMER

- Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Rotary hammer with 2 functions: hammer drilling and drilling

Battery pack voltage	12 V
Max. single blow energy (EPTA)	1.3 J
Drill-Ø concrete with hammer drills	16 mm
No-load speed	0 - 730 rpm
Weight (including battery pack)	1.8 kg

PowerMaxx BH 12 BL 16 Scope of delivery

Side handle, Drilling depth guide, metaBOX 145, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	600207840

^{*} See page 19 for Battery Set options









POWERMAXX SSE 12 BL CORDLESS SABRE SAW

- Light, extremely handy saw for one or two handed operation
- Especially suitable for working in difficult to reach places
- The Metabo 12 Volt class lightweight, yet powerful
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades

meta BOX

Battery pack voltage	12 V
Strokes in idle	0 - 3,000 rpm
Saw blade stroke	16 mm
Weight	1.6 kg

POWERMAXX SSE 12 BL Scope of delivery

Sabre saw blade for wood and metal, metaBOX 145. without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	602322840

^{*} See page 19 for Battery Set options

Full Service price group FS3



5 x sabre saw blades sheet metal series "flexible"

Order no. 628268000



5x sabre saw blades wood + metal "flexible" series

Overall length: 100 mm



POWERMAXX CC 12 BL CORDLESS ANGLE GRINDER

- Very handy tool with maximum working comfort for many applications
- Always the right accessories: large selection of discs to process metal, wood, stone, tiles and plastic.
- The Metabo 12 Volt class lightweight, yet powerful
- Powerfull brushless motor for quick work progress and highest efficiency
- Overload protection: protects the motor from overheating

Battery pack voltage	12 V
Grinding wheel Ø	76 mm
No load speed	20,000 / min
Spindle thread	M5
Weight	0.8 kg



POWERMAXX CC 12 BL Scope of delivery

Clip for cut-off guard, 2 Cutting discs Flexiarapid Super Inox, 2 Cutting discs Flexiarapid Super Universal, Cutting and grinding disc Combinator Inox, Allen key, metaBOX 145, without battery pack, without charger









Battery options	Order No.
Body only + metaBOX 145	600348840

^{*} See page 19 for Battery Set options

BRUSHLESS



POWERMAXX SRA 12 BL CORDLESS ORBITAL SANDER




- Extremely light, handy cordless orbital sander of the 12 Volt class, ideal for effective sanding of small areas.
- Comfortable guidance close to the surface thanks to the low overall height.
- Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- Orbit diameter 2.0 mm for highest surface quality with good material removal

Battery pack voltage	12 V
Base plate	80 x 133 mm
Orbital frequency with no load	8000 - 20000 rpm
Orbit diameter	2 mm
Weight (including battery)	1.4 kg



Battery options	Order No.
Body only + metaBOX 215	602036840

^{*} See page 19 for Battery Set options



Base plate 80x133 mm with hook and loop, Protector 80x133 mm, 1 Hook and loop sanding sheet P 120 wood and metal "professional" (80x133 mm), Textile dust bag compact, Hexagonal wrench, metaBOX 215, without battery pack, without charger

Full Service price group FS1

POWERMAXX SXA 12-125 BL CORDLESS RANDOM ORBITAL SANDER

- Extremely light, compact cordless random orbital sander of the 12 volt class, ideal also for working overhead
- Comfortable guidance of the sander close to the surface thanks to the low overall height Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Soft start minimises surface damage when placing the machine on the work surface

Battery pack voltage	12 V
Diameter of backing pad	125 mm
No-load speed	4000 - 10000 rpm
Orbit diameter	2 mm
Weight (including battery)	1.4 kg





Battery options	Order No.
Body only + metaBOX 215	602035840

^{*} See page 19 for Battery Set options

Full Service price group FS3

12



NEW

PowerMaxx SXA 12-125 BL Scope of delivery

Sanding pad "multi-hole" with hook and loop, 1 Hook and loop sanding sheet P 120 wood and metal "professional", Protector Ø 125 mm, Textile dust bag compact, Hexagonal wrench, metaBOX 215, without battery pack, without charger

POWERMAXX SMA 12 BL CORDLESS ORBITAL SANDER



BRUSHLESS

- Extremely light, handy cordless orbital sander of the 12 Volt class, ideal for effective sanding of small areas.
- Comfortable guidance close to the surface thanks to the low overall height.
- Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- Orbit diameter 2.0 mm for highest surface quality with good material removal

Battery pack voltage	12 V
Base plate	100 x 150 mm
Orbital frequency with no load	8000 - 20000 rpm
Orbit diameter	2 mm
Weight (including battery)	1.4 kg





^{*} See page 19 for Battery Set options



PowerMaxx SMA 12 BL Scope of delivery

Base plate 190x150 mm with hook and loop, Protector 100x150 mm, 1 Hook and loop sanding sheet P 120 wood and metal "professional", Textile dust bag compact, Hexagonal wrench, metaBOX 215, without battery pack, without charger



POWERMAXX MT 12 CORDLESS MULTI-TOOL



- Compatible with OIS, Starlock and other accessories
- Optimal handling minimum weight, slim design and non-slip softgrip surface
- Indispensable in interior development for cutting, sanding, scraping and grating of different materials

IN NEW

- High performance comparable to a mains-powered tool
- Extra bright LED lights for good visibility of the working area

Battery pack voltage	12 V
Oscillation angle left/right	1,6 °
Orbital frequency from-to	7.500 – 18.000 /min
Weight (without battery pack)	0.8 kg

PowerMaxx MT 12 scope of delivery

Plunge saw blade 34 mm wood/metal, Triangular hook and loop sanding plate 93mm, 5x hook and loop sanding sheets 93 mm P 80, 5x hook and loop sanding sheets 93 mm P 120, metaBOX 145 L

without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	613089840

^{*} See page 19 for Battery Set options



Available from June 2022

Multi-tool blades & accessories (Compatible with OIS and Starlock)



	Description	Order No.
*	Segment saw blade 88 mm HM tiles	626970000
**	Segment saw blade 88 mm HCS wood	626975000
	Triangular sanding plate carbide joint/filler	626971000
36	Rigid scraper 52 mm HCS	626972000
200	Plunge saw blade 34 mm HCS wood	626973000
36	Plunge saw blade 34 mm BiM metal	626974000
المارية المارية	Plunge saw blade 34 mm BiM wood + metal	626976000







meiabo CORDLESS TOOLS 12 V



KPA 12 600 CORDLESS CAULKING GUN

■ The Metabo 12 Volt class - lightweight, yet powerful

■ High discharge force for processing of all standard materials for sealing and gluing

■ Infinitely variable setting of the discharge speed for precision working

■ Metabo Quick: quick, tool-free change between cartridges and film bags

■ No dripping thanks to automatic retraction of the gear rack

Battery pack voltage / type	12 V LiHD
Discharge pressure	4400 N
Holder size	600 ml
Feed rate in idle	1.5 -10 mm/s
Suitable for	Cartridges / Foil bag

KPA 12 600 Scope of delivery

600 ml + 400 ml tubes Push plate for foil bag Push plate for cartridges without battery pack, without charger

Battery options	Order No.
Body only	601218850

^{*} See page 19 for Battery Set options

Full Service price group FS4

POWERMAXX SGS 12 Q CORDLESS GRASS/SHRUB SHEARS

- 1 machine 2 applications
- Shrub shears for precise form cuts on shrubs and bushes
- Grass shears for clean lawn edges

■ Tool-free disc change of the two blade attachments thank to Metabo Quick system

■ Lightweight machine with maximum quiet running

12 V			
2,300 /min			
With shrub blade			
20 cm / 8 mm			
With grass blade			
11.5 cm			
1.0 kg			

PowerMaxx SGS 12 Q Scope of delivery

Grass blade, Shrub blade, 1 x 12V / 2.0 Ah Li-ion battery, SC 30 charger and tool bag $\,$

Battery options	Order No.
1 x 2.0Ah battery, charger and bag	601608500
Body only	601608850

^{*} See page 19 for additional Battery Set options

Full Service price group FS1





Also available in 18V as SGS 18 LTX Q see page 129

POWERMAXX ULA LED

- Powerful LED portable lamp for uniform, bright illumination of the working area
- The Metabo 12 Volt class lightweight, yet powerful
- Very good illumination thanks to the high-performance Power-LED
- Lamp head can be tilted and locked in 12 positions

Max. luminous flux	210 lm
Max. operation time per battery charge	12 V / 2.0 Ah: 6.2 h 12V LiHD 4.0 Ah: 12.4 h
Weight (without battery pack)	0.26 kg

POWERMAXX ULA LED Scope of delivery

without battery, without charger

Battery options	Order No.
Body only	600788000

^{*} See page 19 for Battery Set options



COMBO SET 2.7.1

- PowerMaxx BS 12 + PowerMaxx SSD 12
- Cordless impact driver PowerMaxx SSD 12: compact cordless impact driver for tough applications
- Cordless Drill/Screwdriver PowerMaxx BS 12: light compact drill/screwdriver with extremely compact design for versatile use
- The Metabo 12 Volt class lightweight, yet powerful
- Battery packs with capacity display for checking the charge status
- With metaBOX, the intelligent solution for transport and storage



Scope of delivery

Keyless chuck, Belt hook and bit case, 2 Li-Power battery packs (12 V/2.0 Ah), Charger SC 30, metaBOX 145 L

Order No. 685166590

Full Service price group FS1 + FS1

COMBO SET 2.7.4

■ PowerMaxx BS 12 BL Q + PowerMaxx SSD 12 BL BRUSHLESS

- Cordless impact driver PowerMaxx SSD 12 BL: compact cordless impact driver for tough applications
- Cordless Drill/Screwdriver PowerMaxx BS 12 BL Q: Brushless drill/screwdriver with compact design for universal and demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- The Metabo 12 Volt class lightweight, yet powerful
- With metaBOX, the intelligent solution for transport and storage



Scope of delivery

Keyless chuck, Belt hook and bit case, 1 x Li-Power battery pack (12 V/2.0 Ah), 1 x LiHD battery pack (12 V/4.0Ah) Charger SC 30, metaBOX 145 L

Order No. 685164590

Full Service price group FS2 + FS2



	Charger	Order No.
	Charger ASC 55	627045000
0	Power Adapter PowerMaxx PA 12 LED-USB	600298000

Basic Set	Ah	Order No.
2 x 12 V Li-Power Charger SC30	2.0	685300000
2 x LiHD 12 V Charger ASC 55	4.0	685301000

e constant	Accessory	Order No.
	PowerMaxx 12 V Adapter (compatible with PowerMaxx 10.8V tools)	625225000



The Metabo Quick system: Versatile and convenient

Quick and efficient working

Thanks to a tool free system enabling a quick change from drill chuck to angle attachment or to bit retainer for different applications with the same machine.



The right 18V BATTERY for the right application



100% Compatibility

All battery packs are compatible with all existing and future Metabo & CAS Partners 18V tools and chargers.


LIHD - HIGH-POWERED, WITHOUT THE CABLE.

The powerful cells in Metabo LiHD battery packs deliver enough power for handling even the toughest applications with no cables.

Thanks to LiHD technology, Metabo is the world's only manufacturer to cover the entire power range up to 3,200 watts.

Maximum power, available for an extremely long time – for any application.





CAS Cordless Alliance System

100% compatibility for over 300 machines in the 18 V class!

The Cordless Alliance System (CAS) makes you **independent from the wall socket!** Profit from **problem-free compatibility** for **machines, battery packs and chargers** of different manufacturers. This permits a number of professional applications also with cordless tools – from standard to special tasks.



30 brands - 300 machines - 1 battery pack

One battery, many solutions. Cross-brand. 100% Compatibility.





One battery interface - more than 300 machines. From different manufacturers. With CAS, professionals can switch between the manufacturers without having to purchase a new battery pack or charger. To find out more visit: www.cordless-alliance-system.com



CAS assembles the various companies with very different target groups under one roof. The press machines from **Rothenberger**, for example, are the ideal tool for the work of fitters, heating engineers, refrigeration and air-conditioning technicians or service technicians.

A system with great user benefit

22 www.cordless-alliance-system.com

YOUR **PERFECT SYSTEM**





Ultra M Technology For perfect communication

between machine, battery pack and charger



100% Compatibility

All Metabo "slide style" battery packs are forward and backward compatible. Yesterday, today and in the future



3 Years warranty

3 year warranty on machine, chuck, charger and batteries. Metabo give you a unlimited charge cycle warranty on your batteries.





LIHD TECHNOLOGY

LIHD TECHNOLOGY





LiHD – The most powerful battery pack technology in the world!

Thanks to **LiHD** technology, Metabo is the only manufacturer in the world to cover the entire power range – from 400 to 3,200 Watt – from standard machines to unique system solutions. Applications previously reserved for only the most powerful mains powered machines can now be handled cordlessly. It is the combination of many different components that offer added power, service life, and runtime.

The **LiHD** battery packs are now available in 12V with 4.0 Ah and in 18V with 4.0 Ah, 5.5 Ah, 8.0 Ah and 10.0 Ah.

Powerful

Compact and strong

The combination of new high-performance battery cells and completely re-developed components within the **LiHD** battery pack ensures maximum power availability over an extremely long run time.



Maximum performance

Leading technology.

More power

with **LiHD** cell technology in combination with a newly developed battery pack

- Enlarged power rails and contacts capable of handling high currents
- 3x better conductivity with cell connectors made of a specialized copper alloy

More runtime

- More active material in the cell
- Use of high quality materials (silver and copper)



and extreme robustness:

- Optimal protection against internal contamination with fully encapsulated cast design and full protective coating of electronics, as well as optimal gasket in the cover structure
- Protection of the cells with rubber pads
- Less frequent charging due to more usable cell energy
- Exterior rubber coating on the battery pack provides a secure, non-slip grip and also serves as shock protection

26 27

Maximum performance

maximum runtime

THE RIGHT DRILL FOR THE CORRECT APPLICATION



LIGHT DUTY

for everday applications

- Light / medium duty
- Bench top drill
- Light / compact



MEDIUM DUTY

for demanding applications

- Medium / heavy duty
- Building trade
- Interior renovation
- Metal work (LT-BL)

HEAVY DUTY

with reserve power to go beyond

- Heavy duty with control
- Construction & trade
- Extreme speed
- Metal work (LTX-BL)

BS: Bohrschrauber SB: Schlagbohrer HAMMER DRILL

Drilling wood, metals, plastics and masonry

DRILL DRIVER

Drilling wood, metals and plastics

BRUSHLESS MOTOR

Brushless motors:

Provide a higher working speed compared to brushed motors which allow for quick work progress, particulary suitable when drilling small diameter holes in metal. Brushless motors also provide a longer service life compared to a brushed motor due to less wear and tear and heat transfer.



Precision Stop (LTX - BL):

Electronic torque control with increased precision for precise, delicate working: The torque setting 1-4 ensures that the power as well as the speed is automatically adapted, permitting precise working particularly for small screws.



Metabo Impuls (LTX / LTX - BL):

Selectable "implus" mode for removal of tight fitting or damaged screws and for spot-drilling on smooth surfaces such as ceramics and metal.



3 Years warranty:

3 year warranty on machine, chuck, charger and batteries. Metabo give you a unlimited charge cycle warranty on your batteries.

The Metabo Quick System: Versatile and convenient.




Quick and efficient working

Quick change of bit retainer and accessory for flexible working

Increase in efficiency with competence accessories

Thanks to the magnetised female hexagon socket, hex bits or screwdriver bits can be inserted directly into the machine spindle. This assists drilling and screwdriving use in confined spaces and direct torque transmisson



order no. 636608000

29

adapter »Quick« order no. 627261000

BS 18 L Quick

PowerMaxx

BS 12 BL Quick



LIGHT DUTY

for everday applications

- Light / medium duty
- Bench top assembly drill
- Light / compact

SB 18 L CORDLESS HAMMER DRILL

Powerful, compact hammer drill with extremely compact design

Hammer drill function for drilling in masonry

 Integrated LED work light with night light function for optimal brightness in the work area

Battery pack voltage	18 V
Maximum torque - soft / hard	25 Nm / 50 Nm
Drill Ø masonry / steel	10 mm / 10 mm
Drill Ø softwood	20 mm
No-load speed	0 - 450 / 1800 rpm
Chuck consoity	1 E 12 mm

SB 18 L Standard scope of delivery

Keyless chuck, Belt hook and bit holder, 2 Li-Power battery packs (18 V/2.0 Ah) Charger SC 60 Plus, metaBOX 145

Battery options	Order No.
2 x 18 V 2.0Ah Li-Power	602317580





Full Service price group FS2



MEDIUM DUTY

for demanding applications

- Medium / heavy dutyBuilding trade
- Building trade
 Interior renovation
- Metal work (LT-BL)

SB 18 LT BL CORDLESS HAMMER DRILL

 Brushless hammer drill with compact design for universal and demanding applications

 Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving



Battery pack voltage	18 V
Maximum torque - soft / hard	34 Nm / 60 Nm
Drill Ø masonry	13 mm
Drill Ø steel / softwood	13 mm / 38 mm
No load speed	600 / 0 - 2100 rpm

SB 18 LT BL Scope of delivery

Keyless chuck, Belt hook with bit holder, 2 x LiHD 18V 4.0Ah battery packs, Charger ASC 55 "AIR COOLED", metaBOX 145

Battery options	Order No.
2 x LiHD 18V / 4.0Ah	602316800
Body only plus metaBOX 145	602316840











SB 18 LT CORDLESS HAMMER DRILL

- Powerful Metabo 4-pole motor for fast drilling and screwdriving
- High-performance hammer mechanism for optimum drilling performance
- Integrated working light to illuminate the contact area
- Handy belt hook, can be fixed either on the right or left side


With metaBOX, the	e intelligent	solution	for transport	and storage

Battery pack voltage	18 V	
Maximum torque - soft / hard	34 Nm / 60 Nm	
Drill Ø masonry	13 mm	
Drill Ø steel / softwood	13 mm / 38 mm	
No load speed	0 - 450 / 0 - 1600 rpm	

SB 18 LT Scope of delivery

Keyless chuck, Belt hook and bit holder, metaBOX 145, without battery pack, without charger

	Order No.
Body only plus metaBOX 145	602103840















BS 18 LTX BL Q I CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with maximum power for demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 Nm
Pulse Torque	65 Nm
Drill Ø steel	13 mm
Drill Ø soft wood	68 mm

BS 18 LTX BL Q I Scope of delivery

Quick-change chuck, Quick-change bit holder Side handle, Belt hook and bit holder, metaBOX 145 L

Battery options	Order No.
Body only + metaBOX 145 L	602359840

^{*} See page 151 for Battery Set options



34









meta BOX





BRUSHLESS

BS 18 LTX-3 BL Q I CORDLESS DRILL/SCREWDRIVER

- Brushless 3-speed drill/screwdriver with maximum power for demanding applications
- Third speed setting with high torque (max. 3,800/min) for extended range of application and even faster drilling progress
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- Precision Stop: electronic torque control with increased precision for accurate and intricate working
- Integrated working light to illuminate the contact area
- Robust die cast aluminium gear housing for optimum heat dissipation and long service life





Quick-change hexagonal bit holder 1/4" (see page 29)



Quick angle attachment (see page 29)



PowerX3 torque adaptor enables the torque of the machine to be tripled (see page 29)

BS 18 LTX-3 BL Q I Scope of delivery

Quick-change chuck, Quick-change bit holder, Side handle Belt hook and bit holder, metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602355840

^{*} See page 151 for Battery Set options

Scope of delivery







Full Service price group FS4







SB 18 LTX CORDLESS HAMMER DRILL

- Selectable ""Impulse"" mode for removal of stubborn screws and for spot drilling on smooth surfaces
- Powerful Metabo 4-pole motor for fast drilling and screwdriving
- High-performance impact mechanism for optimum drilling performance

Battery pack voltage	18 V
Maximum torque - Soft / Hard	55 Nm / 110 nm
Pulse torque	60 Nm
Drill Ø masonry	16 mm
Drill Ø steel / soft wood	13 mm / 65 mm

SB 18 LTX Scope of delivery

Futuro Plus keyless chuck with metal sleeve Side handle. Belt hook and bit holder 2 Li-Power battery packs (18 V/4.0 Ah) Charger ASC 55 "AIR COOLED", metaBOX 145 L

Battery options	Order No.
2 x 18 V 4.0Ah Li-Power	602192580
Body only + metaBOX 145 L	602192840

^{*} See page 151 for Battery Set options

Full Service price group FS3









Safety is important to us!

No kick-back of the machine when the tool jams due to new gyroscope sensor.

SB 18 LTX BL I CORDLESS HAMMER DRILL


- Brushless hammer drill with maximum power for demanding applications
- Hammer drill function for drilling in masonry
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Precision Stop: electronic torque control with increased precision for precise, delicate working
- Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 Nm
Drill Ø steel / soft wood	13 mm / 68 mm
Drill Ø masonry	16 mm
No-load speed	0 - 550 / 0 - 2000 / rpm

SB 18 LTX BL I Scope of delivery

Keyless chuck, Side handle, Belt hook and bit holder, 2 Li-Power battery packs (18 V/5.2 Ah) Charger ASC 55 "AIR COOLED" metaBOX 145 L

Battery options	Order No.
2 x 18 V 5.2Ah Li-Power	602360590
Body only + metaBOX 145 L	602360840



Full Service price group FS4

36





SB 18 LTX BL Q I CORDLESS HAMMER DRILL

- Brushless hammer drill with maximum power for demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 Nm
Pulse Torque	65 Nm
Drill Ø steel	13 mm
Drill Ø soft wood	68 mm

SB 18 LTX BL Q I Scope of delivery

Quick-change chuck, Side handle, Belt hook and bit holder, metaBOX 145 L

Battery options	Order No.
Body only + metaBOX 145 L	602361840

^{*} See page 151 for Battery Set options













CORDLESS TOOLS 18 V - LTX CLASS DRILL DRIVERS

SB 18 LTX-3 BL Q I CORDLESS HAMMER DRILL

- Brushless 3-speed hammer drill with maximum power for demanding applications
- Third speed setting with high torque (max. 3,800/min) for extended range of application and even faster drilling progress
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- Precision Stop: electronic torque control with increased precision for precise, delicate working
- High-performance impact mechanism for optimum drilling performance
- Integrated working light to illuminate the contact area
- Robust die cast aluminium gear housing for optimum heat dissipation and long service life
- With handy belt hook and bit case which can be fixed either on the right or left side



Battery pack voltage	18 V
Maximum torque - Soft / Hard	60 Nm / 120 Nm
Drill Ø steel	13 mm
Drill Ø masonry	16 mm
Drill Ø soft wood	65 mm
No-load speed	0 - 500 / 0 - 2050 / 0- 3800 min

SB 18 LTX-3 BL Q I Scope of delivery

BRUSHLESS

Quick-change chuck, Quick-change bit holder Side handle, Belt hook and bit holder, metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602357840

* See page 151 for Battery Set options





1/4" hexagonal recess in spindle



PowerX3 torque adaptor enables the torque of the machine to be tripled (see page 29)









Scope of delivery



COMBO SET 2.9.3

BS 18 LT BL + SSW 18 LT 300 BL

- Cordless impact wrench SSW 18 LT 300 BL: Compact cordless impact wrench with 1/2" male square and 300 Nm
- Cordless drill/screwdriver BS 18 LT BL: brushless drill/screwdriver with optimal power for the toughest applications

BRUSHLESS

COMBO SET 2.9.3 scope of delivery

Cordless drill/screwdriver BS 18 LT BL, cordless impact wrench SSW 18 LT 300 BL, 2 Li-power battery packs (18 V/5.2 Ah), charger ASC 55, MetaBOX 145 L

Order No. 685203590



Full Service price group FS4 + FS4



COMBO SET 2.8.8

SB 18 LT BL + SSD 18 LT 200 BL

- Cordless impact driver SSD 18 LT 200 BL: Compact cordless impact driver with 1/4" hexagon recess and 200 Nm
- Cordless hammer drill SB 18 LT BL: brushless cordless hammer drill with optimal power for the demanding applications

BRUSHLESS

COMBO SET 2.8.8 scope of delivery

Cordless hammer drill SB 18 LT BL, cordless impact driver SSD 18 LTX 200 BL, 2 Li-power battery packs (18 V/5.2 Ah), charger ASC 55, MetaBOX 145 L

Order No. 685200590





Full Service price group FS2 + FS3



COMBO SET 2.1.15 (LI-POWER)

SB 18 LTX BL I + SSD 18 LTX 200 BL





- Cordless Hammer Drill SB 18 LTX BL I: brushless hammer drill with maximum power for the toughest applications
- Cordless Impact Driver SSD 18 LTX 200 BL: unique Metabo brushless motor for quick work progress and maximum
 efficiency for any application
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Patented AIR COOLED technology for speedy charging and long service life
- Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee

COMBO SET 2.1.15 (Li-Power) scope of delivery

Cordless Hammer Drill SB 18 LTX BL I, Cordless Brushless Impact Driver SSD 18 LTX 200 BL, 2 Li-Power Battery Packs (18 V/4.0 Ah), Charger ASC 55, metaBOX 145 L

Order No. 685184580







Full Service price group FS4 + FS4



COMBO SET 2.1.15 (LiHD) SB 18 LTX BL I + SSD 18 LTX 200 BL

RRUSHI ESS



- Cordless Hammer Drill SB 18 LTX BL I: brushless hammer drill with maximum power for the toughest applications
- Cordless Impact Driver SSD 18 LTX 200 BL: unique Metabo brushless motor for quick work progress and maximum efficiency for any application
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- LiHD battery pack for ultimate performance and extremely long runtime with minimal temperature generation
- Patented AIR COOLED technology for speedy charging and long service life
- Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee

COMBO SET 2.1.15 (LiHD) scope of delivery

Cordless Hammer Drill SB 18 LTX BL I, Cordless Impact Driver SSD 18 LTX 200 BL, 2 LiHD Battery Packs (18V/5.5 Ah), Charger ASC 145, metaBOX 145 L

Order No. 685184590









Full Service price group FS4 + FS4



COMBO SET 2.1.10 (LiHD) SB 18 LTX BL Q I + SSD 18 LTX 200 BL

BRUSHLESS



Cordless Impact Driver SSD 18 LTX 200 BL: unique Metabo brushless motor for quick work progress and maximum
efficiency for any application

 Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action

 LiHD battery pack for ultimate performance and extremely long runtime with minimal temperature generation

 Patented AIR COOLED technology for speedy charging and long service life

■ Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee

COMBO SET 2.1.10 (LiHD) scope of delivery

Cordless Hammer Drill SB 18 LTX BL Q I, Cordless Impact Driver SSD 18 LTX 200 BL, 2 LiHD Battery Packs (18V/10.0 Ah), Charger ASC 145, metaBOX 145 L

Order No. UK685184510











COMBO SET 2.5.2 (LI-POWER) BS 18 LT BL + BH 18 LTX BL 16

BRUSHLESS



- Cordless drill/screwdriver BS 18 LT BL: Brushless drill/screwdriver with optimal power for the toughest applications. With practical belt hook and bit holder, can be fixed either on the right or left.
- Cordless rotary hammer BH 18 LTX BL 16: Very lightweight, compact cordless hammer with Brushless motor for low-fatigue drilling in any working position. Maximum drilling output, efficiency and service life thanks to Brushless technology and high-performance hammer action, rotary hammer with 2 functions: hammer drilling and drilling. Metabo VibraTech (MVT): Low-fatigue working that is easy on the user's health even in continuous mode.
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving

COMBO SET 2.5.2 scope of delivery

Cordless rotary hammer BH 18 LTX BL 16, side handle, drill depth guide, cordless drill/ screwdriver BS 18 LT BL, keyless chuck, belt hook and bit case, 1 x battery pack Li-power (18 V/2.0 Ah), 1 x battery pack Li-power (18 V/4.0 Ah), charger ASC 55, metaBOX 145 L

Order No. 685182000







Full Service price group FS2 + FS3



Full Service price group FS4 + FS4

METLTBL4.1

UK685200004





Scope of delivery

SB 18 LT BL Cordless Hammer Drill (602316840) SSD 18 LT 200 BL Impact Driver (602397840) WB 18 LT BL 11-125 Q Angle Grinder (613054840) SLA 14.4-18 LED Inspection Lamp (600370000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)







Full Service price group FS4 + FS4



METLTXBL4.1

UK685100004





Scope of delivery

SB 18 LTX BL Q I Cordless Hammer Drill (602361840 SSD 18 LTX 200 BL Impact Driver (602396840) WB 18 LT BL 11-125 Q Angle Grinder (613054840) SLA 14.4-18 LED Inspection Lamp (600370000) Quick Angle Attachment (627242000) 3 x 5.2Ah Li-Power Battery Pack (625028000)

1 x ASC 145 Charger (627379000)







Full Service price group FS4 + FS4



METLTBL3.1

UK685200003





Scope of delivery

SB 18 LT BL Cordless Hammer Drill (602316840) SSD 18 LT 200 BL Impact Driver (602397840) KH 18 LTX BL 24 Combination Drill (601713840) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)









METLTXBL3.1 UK685100003





Scope of delivery

SB 18 LTX BL Q I Cordless Hammer Drill (602361840) SSD 18 LTX 200 BL Impact Driver (602396840) KH 18 LTX BL 24 Q Combination Drill (601714840) Quick Angle Attachment (627242000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)











Full Service price group FS2 + FS3

Full Service price group FS4 + FS4

32 pce Bit-Box "Promotion"

PH1, PH2 x 2, PH3
PZ1, PZ2x2, PZ3
SL3, SL4, SL5, SL6
H3, H4, H5, H6
T10, T15, T20, T25, T27, T30, T40
T10, T15, T20, T25, T27, T30, T40
1 x adapter, 1 x magnetic bit holder 65 mm

Consisting of S 2 bits, L 25 mm

Coloured-coded bits; magnetic quick change adapter, with adapter for spanner sockets (socket adapter)

Order No. 626700000



15 pce Bit-Box "Promotion"

PH1, PH2
PZ1, PZ2
SL4, SL6
H3, H4, H5
T10, T15, T20, T25, T30
1 x magnetic bit holder

Consisting of S 2 bits, L 25 mm

Coloured-coded bits; magnetic quick change adapter

Order No. 626703000



26 pce Bit & ratchet set "Promotion"

PH1, PH2, PH3
PZ1, PZ2, PZ3
SL4, SL5.5, SL6.5
H3, H4, H5, H6
T10, T15, T20, T25, T30
6 x chuck key: 1/4", 6 mm, 7 mm, 8 mm 10 mm, 13 mm,; 1 x extensions, 1 x ratchet

Consisting of S 2 bits, L 25 mm

Coloured-coded bits; high-gulaity ratchet; socket spanner made from chrome vanadium steel

Order No. 626701000



56 pce Bit-Box "Promotion"

S 2 bits, L 25 mm

PH1 x 3, PH2 x 3, PH3 x 3
PZ1 x 3, PZ2 x 3, PZ3 x 3
SL4 x 2, SL5 x 2, SL6 x 2
H3, H4, H5
T10 \times 2, T15 \times 2, T20 \times 2, T25 \times 2 , T27 \times 2, T30 \times 2, T40 \times 2
T10, T15, T20, T25, T27, T30, T40
1 x magnetic quick change bit holder

L 75 mm

PH2, PH3	
PZ1, PZ2	
SL6	
T20, T25	

Coloured-coded bits; magnetic quick change adapter, with adapter for sockets (socket wrench adapter)

Order No. 626702000



71 pce Bit-Box "Promotion"

S 2 bits, L 25 mm
PH1 x 3, PH2 x 6, PH3 x 3
PZ1 x 3, PZ2 x 6, PZ3 x 3
SL4 x 3, SL6 x 3
H4 x 3, H5 x 3, H6 x 3
T10 x 3, T15 x 3, T20 x 3, T25 x 3 , T27 x 3, T30 x 3, T40 x 3
1 x magnetic quick change bit holder; 1 x magnetic bit holder

L 75 mm

PH1, PH2, PH3
PZ1, PZ2
SL4, SL6
T20, T25

Coloured-coded bits; magnetic quick change adapter

Order No. 626704000



55 pce Accessory set "Promotion"

S 2 bits. L=25 mm

Phillips: PH1, PH2 x 2, PH3 Ø 1.5 mm x 2; Ø 2 mm x 2; Ø 2.5 mm x 1 Pozidriv: PZ1, PZ2x2, PZ3 Slotted: SL4, SL6, SL7

Hexagon: H3, H4, H5, H6

Torx: T15, T20, T25

- 1 x template, 1 x spatula,
- 1 x magnetic bit holder, 1 x countersink,
- 1 x socket wrench adapter

Order No. 626707000

HSS-TiN drill bits for metal

Ø 3 mm x 2; Ø 3.5 mm x 1; Ø 4 mm x 1 Ø 4.5 mm x 1; Ø 5 mm x 1; Ø 5.5 mm x 1 Ø 6 mm x 2: Ø 6.5 mm x 1

Carbide masonry drill bit

Ø 4 mm x 1; Ø 5 mm x 1; Ø 6 mm x 2 Ø 7 mm x 1; Ø 8 mm x 1; Ø 10 mm x 1

CV wood drill bit

Ø 4 mm x 1; Ø 5 mm x 1; Ø 6 mm x 1 Ø 8 mm x 1; Ø 10 mm x 1

Flat timber drill bit

Ø 16 mm x 1: Ø 22 mm x 1



Masonry drill bit storage case

"Promotion" 8 pce



8-piece in plastic case; Carbide masonry drill buit for rotary hammers and impact drills, milled version, suitable for drilling bricks, masonry, etc.

Ø 3 / 4 / 5 / 5,5 / 6 / 7 / 8 / 10 mm

Order No. 626706000

HSS-TiN drill bits (14 pieces):

Ø 6 mm x 1; Ø 6.5 mm x 1

Ø 5.0 mm x 1: Ø 6.0 mm x 2:

Ø 7.0 mm x 1; Ø 8.0 mm x 1;

Ø 1.5 mm x 2; Ø 2.0 mm x 2; Ø 2.5 mm x 1;

Ø 3.0 mm x 2; Ø 3.5 mm x 1; Ø 4.0 mm x 1;

Ø 4.5 mm x 1; Ø 5.0 mm x 1; Ø 5.5 mm x 1;

Carbide masonry drill bits (6 pieces):

Wood drill bit storage case

"Promotion" 8 pce



8-piece, wood spiral drill bit made of high-grade chrome vanadium steel, hardened, with centring point. For use in plywood, chipboards etc.

Ø 3 / 4 / 5 / 5,5 / 6 / 7 / 8 / 10 mm

Order No. 626705000

55 pce Accessory set "Promotion"

S 2 bits (L=25 mm) 32 pieces

Phillips: 0/ 1/1 /2/2 /3/3 Pozidriv: 0/ 1/1 /2/2 /3/3

Slotted: 3 / 4/4 / 6/6

Hexagon: 3/4/5/5/6

Torx: 10/ 15/15/ 20/20/ 25/ 30

S 2 bits (L=50 mm) 8 pieces

Phillips: 1/2/3

Pozidriv: 1/2/3

Torx: 15 /20

Socket wrenches (8 pieces): 5.0/ 6.0/ 7.0/ 8.0/ 9.0/ 10.0/ 11.0/ 12.0 mm

Ø 10 mm x 1 CV wood drill bit (5 pieces): Ø 4.0 mm x 1;

Ø 4.0 mm x 1:

Ø 5.0 mm x 1;

Ø 6.0 mm x 1 Ø 8.0 mm x 1;

Ø 10.0 mm x 1

Flat timber drill bit Ø 12.0 mm x 1;

Ø 16.0 mm x 1;

Ø 19.0 mm x 1;

Ø 25.0 mm x 1



Order No. 626708000

BI-METAL HOLE SAW SET, 8 PIECES

Consisting of:

- Bi-metal Hole Saws Ø 19, 25, 38, 44, 68 and 83 mm
- Arbor for hole saw Ø 14-30 mm (SW 9/ 1/2"-20 UNF)
- Arbor for hole saw Ø 32-152 mm (SW 9/ 5/8"-18 UNF)
- Pilot Dri
- Plastic carry case

Order No. 625159000





BI-METAL HOLE SAW SET 1, 8 PIECES

Consisting of:

- Bi-metal hole saw Ø 22,29, 35, 44, 51 and 68 mm
- Arbor for hole saw Ø 14-30 mm (SW 9/ 1/2"-20 UNF)
- Arbor for hole saw Ø 32-152 mm (SW 9/ 5/8"-18 UNF)
- Pilot Drill
- Plastic carry case

Order No. 625434000





BI-METAL HOLE SAW SET 2, 11 PIECES

Consisting of:

- Bi-metal hole saw Ø 19, 22, 29, 35, 44, 51, 57, 64 and 68 mm
- Arbor for hole saw Ø 14-30 mm (SW 9/ 1/2"-20 UNF)
- Arbor for hole saw Ø 32-152 mm (SW 9/ 5/8"-18 UNF)
- Pilot Drill
- Plastic carry case

Order No. 625435000





STORAGE SOLUTIONS

SMALL TOOLBAG

Features:

- 3 x external pockets
- 1 x hand carry strap
- 1 x shoulder strap
- 3 x reflective logos
- LxWXH 460x260x280mm

Storage:

- 2 x battery pack pockets
- 1 x charger pocket
- 1 x side strap for machine
- + space for other machines







LARGE TOOLBAG

Features:

- 5 x external pockets
- 1 x hand carry strap
- 1 x shoulder strap
- 3 x reflective logos ■ LxWXH 670x290x325mm

Storage:

- 3 x battery pack pockets
- 1 x charger pocket
- 1 x accessories pocket
- 2 x side straps for machines
- + space for other machines

Order No. 657007000







The solution for workshop, transport and construction site.



Empty (see page 50 for Inlays)

System width 1 396 mm



metaBOX 118

Dimensions: 396 x 296 x 118 mm (empty) Order No. 626882000



metaBOX 145

Dimensions: 396 x 296 x 145 mm (empty) Order No. 626883000



metaBOX 215

Dimensions: 396 x 296 x 215 mm (empty)

Order No. 626887000



metaBOX 340

Dimensions: 396 x 296 x 340 mm (empty)

Order No. 626888000



System width 2 496 mm



metaBOX 145 L

Dimensions: 496 x 296 x 145 mm (empty) Order No. 626884000



metaBOX 165 L

Dimensions: 496 x 296 x 165 mm (empty)

Order No. 626889000

Rib Layout

System width 1 396 mm



metaBOX 118

Dimensions: 396 x 296 x 118 mm (rib layout PowerMaxx 12V BS/ SB/SSD/SSW)

Order No. 626882000



metaBOX 145

Dimensions: 396 x 296 x 145 mm (rib layout 18V cordless drills L + LT class BS/SB/SSD/SSW) Order No. 626886000



System width 2 496 mm



metaBOX 145 L

Dimensions: 496 x 296 x 145 mm (rib layout 18V cordless drills LTX class BS/SB)

Order No. 626891000

(rib layout corded rotary hammers / drilling machines SBE/KHE/UHE) Order No. 626892000



metaBOX 165 L

Dimensions: 496 x 296 x 165 mm (rib layout angle grinders corded + cordless 18V up to Ø 125mm discs)

Order No. 626890000

Transport accessories



metaBOX adapter plate

Suitable for Sortimo invehicle equipment Globelyst and SR5

Order No. 626895000



metaBOX Roller board

Easy transport of metaBOX and working material up to 100 kg

Order No. 626894000



for further information



Scan the QR Code

metaBOX Inlays







deep drawn inlay MT 18 LTX Compact/MT 18 LTX BL SQ	Description	Suitable for metaBOX	Order No.
deep drawn inlay KHA 18 LTX/SBE 18 LTX	deep drawn inlay MT 18 LTX Compact/MT 18 LTX BL SQ	metaBOX 145 L empty	628879000
deep drawn inlay WB 18 LTX BL 150/WB 18 LTX BL 180 metaBOX 165 L empty 62881000 deep drawn inlay HO 18 LTX 20-82 metaBOX 340 empty 628890000 deep drawn inlay SSW 18 LTX 600 metaBOX 145 L empty 62888000 deep drawn inlay STA 18 LTX 140 metaBOX 145 L empty 62888000 deep drawn inlay PowerMaxx CC 12 BL metaBOX 145 empty 628916000 deep drawn inlay NIVISCV 18 LTX BL 1.6 metaBOX 145 empty 628917000 deep drawn inlay NIVISCV 18 LTX BL 1.6 metaBOX 145 empty 628917000 deep drawn inlay NIVISCV 18 LTX BL 1.6 metaBOX 145 empty 628917000 deep drawn inlay NIVISCV 18 LTX BL 1.0 metaBOX 145 L empty 62882000 deep drawn inlay NIVISCV 18 LTX BL 1.0 metaBOX 145 L empty 62882000 deep drawn inlay NIVISCV 18 LTX BL 1.0 metaBOX 145 L empty 62882000 deep drawn inlay KT 18 LTX 66 BL metaBOX 340 empty 62882000 deep drawn inlay Combosets for BS/SB/SSD metaBOX 145 empty 62883000 deep drawn inlay ASE 18 LTX metaBOX 145 L empty 62883000 deep drawn inlay SSE 18 LTX BL metaBOX 145 L empty 62883000 deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 Empty 62883000 deep drawn inlay SFE 18 LTX BL metaBOX 145 L empty 62892000 deep drawn inlay SHA 18 LTX BL 16 metaBOX 145 L empty 62892000 deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 145 L empty 62883000 deep drawn inlay Combosets For BS/SB/SSD/SSW metaBOX 145 L empty 62883000 deep drawn inlay Combosets For BS/SB/SSD/SSW metaBOX 145 L empty 62883000 deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 145 L empty 62883000 deep drawn inlay SEE 12 BL/18 LTX/18 LTX BL Comp. metaBOX 145 L empty 62883000 deep drawn inlay WF 18 LTX 150 Quick metaBOX 145 L empty 62883000 deep drawn inlay WF 18 LTX 150 Quick metaBOX 145 L empty 62883000 deep drawn inlay HAKS 18 LTX 58/KS 18 LTX 57 metaBOX 145 L empty 62883000 deep drawn inlay HAKS 18 LTX 58/KS 18 LTX 57 metaBOX 145 Empty 62883000 deep drawn inlay HAKS 18 LTX 58/KS 18 LTX 57 metaBOX 145 Empty	deep drawn inlay HG 18 LTX 500	metaBOX 145 L empty	628915000
deep drawn inlay HO 18 LTX 20-82 metaBOX 340 empty 628890000 deep drawn inlay SSW 18 LTX 600 metaBOX 145 L empty 62888000 deep drawn inlay STA 18 LTX 140 metaBOX 145 L empty 62888000 deep drawn inlay PowerMaxx CC 12 BL metaBOX 145 empty 628916000 deep drawn inlay NIV/SCV 18 LTX BL 1.6 metaBOX 145 empty 628917000 deep drawn inlay NIV/SCV 18 LTX BL 1.6 metaBOX 145 empty 628917000 deep drawn inlay NIV 18 LTX BL 5.0 metaBOX 145 L empty 628882000 deep drawn inlay NIV 18 LTX 66 BL metaBOX 340 empty 628923000 deep drawn inlay KT 18 LTX 66 BL metaBOX 340 empty 628923000 deep drawn inlay Combosets for BS/SB/SSD metaBOX 145 L empty 628893000 deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty 628933000 deep drawn inlay SSE 18 LTX metaBOX 145 L empty 628933000 deep drawn inlay SSE 18 LTX metaBOX 145 L empty 628933000 deep drawn inlay SSE 18 LTX metaBOX 145 L empty 62893000 deep drawn inlay SSE 18 LTX metaBOX 145 L empty 628920000 deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty 628920000 deep drawn inlay BH 18 LTX BL 24 Quick metaBOX 145 L empty 628920000 deep drawn inlay Combosets for BS/SB/SSD/SSW metaBOX 145 L empty 628880000 deep drawn inlay Combosets for BS/SB/WS metaBOX 145 L empty 628886000 deep drawn inlay Combosets for BS/SB/WS metaBOX 145 L empty 628886000 deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 145 L empty 628896000 deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. metaBOX 145 L empty 628920000 deep drawn inlay WF 18 LTX 150 Quick metaBOX 145 L empty 62895000 deep drawn inlay WAS 18 LTX SB/KS 18 LTX S metaBOX 145 L empty 62895000 deep drawn inlay WAS 18 LTX SB/KS 18 LTX S metaBOX 145 L empty 62895000 deep drawn inlay WAS 18 LTX SB/KS 18 LTX S metaBOX 145 E empty 62895000 deep drawn inlay WAS 18 LTX SB/KS 18 LTX S metaBOX 145 E empty 62895000 deep drawn inlay WAS 18 LTX SB/KS 18 LTX S metaBOX 145 Empty 62895000 de	deep drawn inlay KHA 18 LTX/SBE 18 LTX	metaBOX 165 L empty	628880000
deep drawn inlay SSW 18 LTX 600 metaBOX 145 L empty 628887000 deep drawn inlay STA 18 LTX 140 metaBOX 145 L empty 62888000 deep drawn inlay PowerMaxx CC 12 BL metaBOX 145 empty 628916000 deep drawn inlay NIV/SCV 18 LTX BL 1.6 metaBOX 145 empty 628917000 deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100 metaBOX 145 L empty 628917000 deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100 metaBOX 145 L empty 628882000 deep drawn inlay KT 18 LTX 66 BL metaBOX 340 empty 628923000 deep drawn inlay Combosets for BS/SB/SSD metaBOX 145 L empty 628883000 deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty 628893000 deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty 628891000 deep drawn inlay SSE 18 LTX metaBOX 145 L empty 628891000 deep drawn inlay SSE 18 LTX BL metaBOX 145 L empty 628891000 deep drawn inlay SSE 18 LTX BL metaBOX 145 L empty 628891000 deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty 628921000 deep drawn inlay BH 18 LTX BL 24 Quick metaBOX 145 L empty 628921000 deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 145 L empty 62888000 deep drawn inlay Combosets for BS/SB/WS metaBOX 145 L empty 62888000 deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty 62888000 deep drawn inlay WF 18 LTX 150 Quick metaBOX 165 L empty 62889000 deep drawn inlay WB 18 LTX 150 Quick metaBOX 145 L empty 628922000 deep drawn inlay WB 18 LTX 150 Quick metaBOX 145 L empty 628922000 deep drawn inlay WB 18 LTX 150 Quick metaBOX 145 L empty 628922000 deep drawn inlay WB 18 LTX 150 Quick metaBOX 145 L empty 628922000 deep drawn inlay WB 18 LTX 150 Quick metaBOX 145 L empty 628922000 deep drawn inlay WB 18 LTX 150 Quick metaBOX 145 E empty 628922000 deep drawn inlay WB 18 LTX 150 Quick metaBOX 145 E empty 628922000 deep drawn inlay WB 18 LTX 150 Quick metaBOX 145 E empty 62892000 deep drawn inlay MB 18 LTX 6 metaBOX 145 E empty 62	deep drawn inlay WB 18 LTX BL 150/WB 18 LTX BL 180	metaBOX 165 L empty	628881000
deep drawn inlay STA 18 LTX 140 metaBOX 145 L empty 62888000 deep drawn inlay PowerMaxx CC 12 BL metaBOX 145 empty 628916000 deep drawn inlay NIV/SCV 18 LTX BL 1.6 metaBOX 145 empty 628917000 deep drawn inlay NIV/SCV 18 LTX BL 1.6 metaBOX 145 empty 628882000 deep drawn inlay NP 18 LTX BL 5.0 metaBOX 145 L empty 628882000 deep drawn inlay NP 18 LTX BL 5.0 metaBOX 145 L empty 628882000 deep drawn inlay KT 18 LTX 66 BL metaBOX 340 empty 628882000 deep drawn inlay Combosets for BS/SB/SSD metaBOX 145 empty 628885000 deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty 628893000 deep drawn inlay SEE 18 LTX metaBOX 145 L empty 628891000 deep drawn inlay SEE 18 LTX BL metaBOX 145 L empty 628878000 deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty 628878000 deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty 628820000 deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 145 L empty 628820000 deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 145 L empty 62883000 deep drawn inlay Combosets BL for BS/SB/WS metaBOX 145 L empty 62883000 deep drawn inlay Combosets For BS/SB/WS metaBOX 145 L empty 62883000 deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 145 L empty 62883000 deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 145 L empty 62883000 deep drawn inlay SEE 12 BL/18 LTX/18 LTX BL Comp. metaBOX 145 L empty 62885000 deep drawn inlay SEE 18 LTX BL Comp. metaBOX 145 L empty 62885000 deep drawn inlay SEE 18 LTX BL Comp. metaBOX 145 L empty 62887000 deep drawn inlay SEE 18 LTX BL Comp. metaBOX 145 L empty 62887000 deep drawn inlay SEE 18 LTX SE/KS 18 LTX SE/K	deep drawn inlay HO 18 LTX 20-82	metaBOX 340 empty	628890000
deep drawn inlay PowerMaxx CC 12 BL metaBOX 145 empty 62816000 deep drawn inlay NIV/SCV 18 LTX BL 1.6 metaBOX 145 empty 628917000 deep drawn inlay NIV/SCV 18 LTX BL 1.6 metaBOX 145 L empty 62882000 deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100 metaBOX 145 L empty 62882000 deep drawn inlay NP 18 LTX BL 5.0 metaBOX 145 L empty 628823000 deep drawn inlay Combosets for BS/SB/SSD metaBOX 145 empty 628823000 deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty 628833000 deep drawn inlay ASE 18 LTX metaBOX 145 L empty 628891000 deep drawn inlay SSE 18 LTX BL metaBOX 145 L empty 628878000 deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty 628878000 deep drawn inlay BH 18 LTX BL 16 metaBOX 145 L empty 628921000 deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 145 L empty 628883000 deep drawn inlay Combosets for BS/SB/SSD/SSW metaBOX 145 L empty 628886000 deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 145 L empty 628889000 deep drawn inlay GA 18 LTX metaBOX 165 L empty 6289	deep drawn inlay SSW 18 LTX 600	metaBOX 145 L empty	628887000
deep drawn inlay NIV/SCV 18 LTX BL 1.6 metaBOX 145 empty 628917000 deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100 metaBOX 145 L empty 62882000 deep drawn inlay NP 18 LTX BL 5.0 metaBOX 145 L empty 62882000 deep drawn inlay KT 18 LTX 66 BL metaBOX 340 empty 628923000 deep drawn inlay Combosets for BS/SB/SSD metaBOX 145 empty 62885000 deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty 628893000 deep drawn inlay ASE 18 LTX metaBOX 145 L empty 628891000 deep drawn inlay SSE 18 LTX BL metaBOX 145 L empty 628878000 deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty 628920000 deep drawn inlay BH 18 LTX BL 24 Quick metaBOX 145 L empty 628921000 deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 165 L empty 628883000 deep drawn inlay Combosets for BS/SB/WS metaBOX 145 L empty 628889000 deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty 628889000 deep drawn inlay WF 18 LTX 150 Quick metaBOX 145 Empty 628876000 deep drawn inlay W 18 LTX 150 Quick metaBOX 145 Empty 628	deep drawn inlay STA 18 LTX 140	metaBOX 145 L empty	628888000
deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100 deep drawn inlay NP 18 LTX BL 5.0 deep drawn inlay NP 18 LTX BL 5.0 deep drawn inlay KT 18 LTX 66 BL deep drawn inlay KT 18 LTX 66 BL deep drawn inlay Combosets for BS/SB/SSD deep drawn inlay Combosets for BS/SB/SSD deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty deep drawn inlay ASE 18 LTX metaBOX 145 L empty deep drawn inlay SSE 18 LTX BL deep drawn inlay SSE 18 LTX BL deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty deep drawn inlay BH 18 LTX BL 16 metaBOX 145 L empty deep drawn inlay KHA 18 LTX BL 24 Quick deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets for BS/SB/WS metaBOX 145 L empty deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 145 L empty deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay GA 18 LTX metaBOX 145 L empty deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay Basic Sets Battery metaBOX 145 L empty deep drawn inlay WHA 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay WHA 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay MS 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay WHA 36-18 LTX 32 metaBOX 145 L empty deep drawn inlay WHA 36-18 LTX 32 metaBOX 145 L empty deep drawn inlay MKHA 36-18 LTX 32 metaBOX 145 L empty deep drawn inlay MKHA 36-18 LTX 6 metaBOX 145 E mpty deep drawn inlay BE 18 LTX 6 metaBOX 145 E mpty deep drawn inlay BE 18 LTX 6 metaBOX 145 L empty deep drawn inlay BE 18 LTX 6 metaBOX 145 L empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 L empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 L empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 L empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 L empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 L empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 L empty	deep drawn inlay PowerMaxx CC 12 BL	metaBOX 145 empty	628916000
deep drawn inlay NP 18 LTX BL 5.0 metaBOX 145 L empty 628884000 deep drawn inlay KT 18 LTX 66 BL metaBOX 340 empty 628923000 deep drawn inlay Combosets for BS/SB/SSD metaBOX 145 empty 628885000 deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty 628893000 deep drawn inlay ASE 18 LTX metaBOX 145 L empty 628891000 deep drawn inlay SSE 18 LTX BL metaBOX 145 L empty 628878000 deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty 628920000 deep drawn inlay BH 18 LTX BL 16 metaBOX 145 L empty 628921000 deep drawn inlay Combosets BL 12 BL 24 Quick metaBOX 145 L empty 628883000 deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 145 L empty 628888000 deep drawn inlay Combosets BL for BS/SB/SD/SSW metaBOX 165 L empty 628889000 deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty 628898000 deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. metaBOX 145 empty 628876000 deep drawn inlay W 18 LTX 150 Quick metaBOX 145 empty 6288926000 deep drawn inlay MS 18 LTX 32 metaBOX 145 empty <	deep drawn inlay NIV/SCV 18 LTX BL 1.6	metaBOX 145 empty	628917000
deep drawn inlay KT 18 LTX 66 BL deep drawn inlay Combosets for BS/SB/SSD metaBOX 145 empty deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty deep drawn inlay ASE 18 LTX metaBOX 145 L empty deep drawn inlay SSE 18 LTX BL metaBOX 145 L empty deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 empty deep drawn inlay BH 18 LTX BL 16 metaBOX 145 L empty deep drawn inlay BH 18 LTX BL 24 Quick deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets for BS/SB/SSD/SSW deep drawn inlay WF 18 LTX 125/125 Quick deep drawn inlay WF 18 LTX 125/125 Quick deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay GA 18 LTX deep drawn inlay W 18 LTX 150 Quick deep drawn inlay W 18 LTX 150 Quick deep drawn inlay Basic Sets Battery deep drawn inlay Basic Sets Battery deep drawn inlay Basic Sets Battery deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 145 empty deep drawn inlay Basic Sets Battery deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 145 empty deep drawn inlay Basic Sets Battery deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 145 empty deep drawn inlay Basic Sets Battery deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 145 empty deep drawn inlay Basic Sets Battery deep drawn inlay Bas	deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100	metaBOX 145 L empty	628882000
deep drawn inlay Combosets for BS/SB/SSD deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty deep drawn inlay ASE 18 LTX metaBOX 145 L empty deep drawn inlay SSE 18 LTX metaBOX 145 L empty deep drawn inlay SSE 18 LTX BL metaBOX 145 L empty deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty deep drawn inlay BH 18 LTX BL 16 metaBOX 145 L empty deep drawn inlay BH 18 LTX BL 16 metaBOX 145 L empty deep drawn inlay BH 18 LTX BL 16 metaBOX 145 L empty deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 165 L empty deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 165 L empty deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. metaBOX 145 empty deep drawn inlay GA 18 LTX metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 empty deep drawn inlay Basic Sets Battery metaBOX 145 empty deep drawn inlay Basic Sets Battery metaBOX 145 empty deep drawn inlay BE 18 LTX 6 metaBOX 145 empty deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 145 empty deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 145 empty deep drawn inlay MKL 3-20 metaBOX 145 empty deep drawn inlay MLL 3-20 metaBOX 145 empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty deep drawn inlay SGS 18 LTX Q metaBOX 145 empty deep drawn inlay SGS 18 LTX Q metaBOX 145 empty deep drawn inlay SGS 18 LTX Q metaBOX 145 empty deep drawn inlay SGS 18 LTX Q metaBOX 145 empty deep drawn inlay SGS 18 LTX Q	deep drawn inlay NP 18 LTX BL 5.0	metaBOX 145 L empty	628884000
deep drawn inlay Combosets 12V for BS/SB/SSE metaBOX 145 L empty deep drawn inlay ASE 18 LTX metaBOX 145 L empty deep drawn inlay SSE 18 LTX BL metaBOX 145 L empty deep drawn inlay SSE 18 LTX BL metaBOX 145 L empty deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty deep drawn inlay BH 18 LTX BL 16 metaBOX 145 L empty deep drawn inlay KHA 18 LTX BL 16 metaBOX 145 L empty deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 165 L empty deep drawn inlay Combosets for BS/SB/WS metaBOX 165 L empty deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. metaBOX 145 L empty deep drawn inlay GA 18 LTX metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 165 L empty deep drawn inlay Basic Sets Battery metaBOX 145 L empty deep drawn inlay Basic Sets Battery metaBOX 145 L empty deep drawn inlay Basic Sets Battery metaBOX 145 L empty deep drawn inlay Basic Sets Battery metaBOX 145 Empty deep drawn inlay Basic Sets Battery metaBOX 145 Empty deep drawn inlay Basic Sets Battery metaBOX 145 Empty deep drawn inlay Basic Sets Battery deep drawn inlay Basic Sets Battery deep drawn inlay Basic Sets Battery metaBOX 145 Empty deep drawn inlay Basic Sets Battery deep drawn inlay Basic Sets	deep drawn inlay KT 18 LTX 66 BL	metaBOX 340 empty	628923000
deep drawn inlay ASE 18 LTX deep drawn inlay SSE 18 LTX BL deep drawn inlay SSE 18 LTX BL deep drawn inlay PowerMaxx BH 12 BL 16 deep drawn inlay BH 18 LTX BL 16 deep drawn inlay BH 18 LTX BL 16 deep drawn inlay KHA 18 LTX BL 24 Quick deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets for BS/SB/WS deep drawn inlay WF 18 LTX 125/125 Quick deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay GA 18 LTX metaBOX 145 L empty deep drawn inlay GA 18 LTX metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay Basic Sets Battery deep drawn inlay Basic Sets Battery metaBOX 145 empty deep drawn inlay KHA 36-18 LTX 32 metaBOX 145 empty deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 145 empty deep drawn inlay BE 18 LTX 6 metaBOX 145 empty deep drawn inlay BE 18 LTX 6 metaBOX 145 empty deep drawn inlay BE 18 LTX 6 metaBOX 145 empty deep drawn inlay MLL 3-20 metaBOX 145 empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty	deep drawn inlay Combosets for BS/SB/SSD	metaBOX 145 empty	628885000
deep drawn inlay SSE 18 LTX BL deep drawn inlay PowerMaxx BH 12 BL 16 metaBOX 145 L empty deep drawn inlay BH 18 LTX BL 16 metaBOX 145 L empty deep drawn inlay BH 18 LTX BL 16 metaBOX 145 L empty deep drawn inlay KHA 18 LTX BL 24 Quick metaBOX 165 L empty deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets for BS/SB/WS metaBOX 165 L empty deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay GA 18 LTX metaBOX 145 L empty deep drawn inlay GA 18 LTX metaBOX 145 L empty deep drawn inlay Basic Sets Battery deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay Basic Sets Battery metaBOX 145 empty deep drawn inlay Basic Sets Battery metaBOX 145 L empty deep drawn inlay Basic Sets Battery metaBOX 145 L empty deep drawn inlay Basic Sets Battery metaBOX 145 L empty deep drawn inlay Basic Sets Battery metaBOX 145 L empty deep drawn inlay Basic Sets Battery metaBOX 145 L empty deep drawn inlay Basic Sets Battery deep drawn inlay Basic Sets Battery metaBOX 145 L empty deep drawn inlay Basic Sets Battery deep drawn inlay Basic Sets Batter	deep drawn inlay Combosets 12V for BS/SB/SSE	metaBOX 145 L empty	628893000
deep drawn inlay PowerMaxx BH 12 BL 16 deep drawn inlay BH 18 LTX BL 16 deep drawn inlay BH 18 LTX BL 16 deep drawn inlay KHA 18 LTX BL 24 Quick deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets BL for BS/SB/WS deep drawn inlay Combosets for BS/SB/WS deep drawn inlay WF 18 LTX 125/125 Quick deep drawn inlay WF 18 LTX 125/125 Quick deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay GA 18 LTX deep drawn inlay W 18 LTX 150 Quick deep drawn inlay W 18 LTX 150 Quick deep drawn inlay W 18 LTX 150 Quick deep drawn inlay W 18 LTX 32 deep drawn inlay Basic Sets Battery deep drawn inlay KHA 36-18 LTX 32 deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 deep drawn inlay BE 18 LTX 6 deep drawn inlay BE 18 LTX 6 deep drawn inlay CC 18 LTX BL metaBOX 145 empty deep drawn inlay CC 18 LTX BL metaBOX 145 empty deep drawn inlay BE 18 LTX 6 deep drawn inlay CC 18 LTX BL metaBOX 145 empty deep drawn inlay MLL 3-20 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q	deep drawn inlay ASE 18 LTX	metaBOX 145 L empty	628891000
deep drawn inlay BH 18 LTX BL 16 deep drawn inlay KHA 18 LTX BL 24 Quick deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets for BS/SB/WS deep drawn inlay Combosets for BS/SB/WS deep drawn inlay WF 18 LTX 125/125 Quick deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay GA 18 LTX deep drawn inlay W 18 LTX 150 Quick deep drawn inlay W 18 LTX 150 Quick deep drawn inlay Basic Sets Battery deep drawn inlay KHA 36-18 LTX 32 deep drawn inlay KHA 36-18 LTX 58/KS 18 LTX 57 deep drawn inlay BE 18 LTX 6 deep drawn inlay BE 18 LTX 6 deep drawn inlay CC 18 LTX BL metaBOX 145 empty deep drawn inlay CC 18 LTX BL metaBOX 145 empty deep drawn inlay CC 18 LTX BL metaBOX 145 empty deep drawn inlay MLL 3-20 metaBOX 145 empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 Lempty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty deep drawn inlay SGS 18 LTX Q metaBOX 145 Lempty	deep drawn inlay SSE 18 LTX BL	metaBOX 145 L empty	628878000
deep drawn inlay KHA 18 LTX BL 24 Quick deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets BL for BS/SB/SSD/SSW deep drawn inlay Combosets for BS/SB/WS deep drawn inlay Combosets for BS/SB/WS deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay GA 18 LTX metaBOX 145 empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay Basic Sets Battery metaBOX 145 empty deep drawn inlay KHA 36-18 LTX 32 metaBOX 165 L empty deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 340 empty deep drawn inlay BE 18 LTX 6 metaBOX 145 empty deep drawn inlay CC 18 LTX BL metaBOX 165 L empty deep drawn inlay CC 18 LTX BL metaBOX 165 L empty deep drawn inlay CC 18 LTX BL metaBOX 165 L empty deep drawn inlay MLL 3-20 metaBOX 145 empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 L empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q	deep drawn inlay PowerMaxx BH 12 BL 16	metaBOX 145 empty	628920000
deep drawn inlay Combosets BL for BS/SB/SSD/SSW metaBOX 145 L empty 628886000 deep drawn inlay Combosets for BS/SB/WS metaBOX 165 L empty 62889000 deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty 628904000 deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. metaBOX 145 empty 628876000 deep drawn inlay GA 18 LTX metaBOX 145 L empty 628895000 deep drawn inlay W 18 LTX 150 Quick metaBOX 165 L empty 628896000 deep drawn inlay Basic Sets Battery metaBOX 145 empty 628922000 deep drawn inlay KHA 36-18 LTX 32 metaBOX 165 L empty 628926000 deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 340 empty 62897000 deep drawn inlay BE 18 LTX 6 metaBOX 145 empty 628894000 deep drawn inlay CC 18 LTX BL metaBOX 165 L empty 628875000 deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay BH 18 LTX BL 16	metaBOX 145 L empty	628921000
deep drawn inlay Combosets for BS/SB/WS deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. deep drawn inlay GA 18 LTX metaBOX 145 empty deep drawn inlay W 18 LTX 150 Quick metaBOX 145 L empty deep drawn inlay W 18 LTX 150 Quick metaBOX 165 L empty deep drawn inlay Basic Sets Battery metaBOX 145 empty deep drawn inlay KHA 36-18 LTX 32 metaBOX 165 L empty deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 340 empty deep drawn inlay BE 18 LTX 6 metaBOX 145 empty deep drawn inlay CC 18 LTX BL metaBOX 165 L empty deep drawn inlay CC 18 LTX BL metaBOX 145 empty deep drawn inlay MLL 3-20 metaBOX 145 empty deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 L empty deep drawn inlay PowerMaxx SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty deep drawn inlay SGS 18 LTX Q	deep drawn inlay KHA 18 LTX BL 24 Quick	metaBOX 165 L empty	628883000
deep drawn inlay WF 18 LTX 125/125 Quick metaBOX 165 L empty 628904000 deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. metaBOX 145 empty 628876000 deep drawn inlay GA 18 LTX metaBOX 145 L empty 628895000 deep drawn inlay W 18 LTX 150 Quick metaBOX 165 L empty 628896000 deep drawn inlay Basic Sets Battery metaBOX 145 empty 628922000 deep drawn inlay KHA 36-18 LTX 32 metaBOX 165 L empty 628926000 deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 340 empty 628877000 deep drawn inlay BE 18 LTX 6 metaBOX 145 empty 628894000 deep drawn inlay CC 18 LTX BL metaBOX 165 L empty 628875000 deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay Combosets BL for BS/SB/SSD/SSW	metaBOX 145 L empty	628886000
deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp. metaBOX 145 empty 628876000 deep drawn inlay GA 18 LTX metaBOX 145 L empty 628895000 deep drawn inlay W 18 LTX 150 Quick metaBOX 165 L empty 628896000 deep drawn inlay Basic Sets Battery metaBOX 145 empty 628922000 deep drawn inlay KHA 36-18 LTX 32 metaBOX 165 L empty 628926000 deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 340 empty 628877000 deep drawn inlay BE 18 LTX 6 metaBOX 145 empty 628894000 deep drawn inlay CC 18 LTX BL metaBOX 165 L empty 628875000 deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay Combosets for BS/SB/WS	metaBOX 165 L empty	628889000
deep drawn inlay GA 18 LTX metaBOX 145 L empty 628895000 deep drawn inlay W 18 LTX 150 Quick metaBOX 165 L empty 628896000 deep drawn inlay Basic Sets Battery metaBOX 145 empty 628922000 deep drawn inlay KHA 36-18 LTX 32 metaBOX 165 L empty 628926000 deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 340 empty 628877000 deep drawn inlay BE 18 LTX 6 metaBOX 145 empty 628894000 deep drawn inlay CC 18 LTX BL metaBOX 165 L empty 628875000 deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay WF 18 LTX 125/125 Quick	metaBOX 165 L empty	628904000
deep drawn inlay W 18 LTX 150 Quick metaBOX 165 L empty 628896000 deep drawn inlay Basic Sets Battery metaBOX 145 empty 628922000 deep drawn inlay KHA 36-18 LTX 32 metaBOX 165 L empty 628926000 deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 340 empty 628877000 deep drawn inlay BE 18 LTX 6 metaBOX 145 empty 628894000 deep drawn inlay CC 18 LTX BL metaBOX 165 L empty 628875000 deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.	metaBOX 145 empty	628876000
deep drawn inlay Basic Sets Battery metaBOX 145 empty 628922000 deep drawn inlay KHA 36-18 LTX 32 metaBOX 165 L empty 628926000 deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 340 empty 628877000 deep drawn inlay BE 18 LTX 6 metaBOX 145 empty 628894000 deep drawn inlay CC 18 LTX BL metaBOX 165 L empty 628875000 deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay GA 18 LTX	metaBOX 145 L empty	628895000
deep drawn inlay KHA 36-18 LTX 32 metaBOX 165 L empty 628926000 deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 340 empty 628877000 deep drawn inlay BE 18 LTX 6 metaBOX 145 empty 628894000 deep drawn inlay CC 18 LTX BL metaBOX 165 L empty 628875000 deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay W 18 LTX 150 Quick	metaBOX 165 L empty	628896000
deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57 metaBOX 340 empty 628877000 deep drawn inlay BE 18 LTX 6 metaBOX 145 empty 628894000 deep drawn inlay CC 18 LTX BL metaBOX 165 L empty 628875000 deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay Basic Sets Battery	metaBOX 145 empty	628922000
deep drawn inlay BE 18 LTX 6 metaBOX 145 empty 628894000 deep drawn inlay CC 18 LTX BL metaBOX 165 L empty 628875000 deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay KHA 36-18 LTX 32	metaBOX 165 L empty	628926000
deep drawn inlay CC 18 LTX BL metaBOX 165 L empty 628875000 deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57	metaBOX 340 empty	628877000
deep drawn inlay MLL 3-20 metaBOX 145 empty 628912000 deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay BE 18 LTX 6	metaBOX 145 empty	628894000
deep drawn inlay PowerMaxx SGS 12 Q metaBOX 145 empty 628918000 deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay CC 18 LTX BL	metaBOX 165 L empty	628875000
deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay MLL 3-20	metaBOX 145 empty	628912000
	deep drawn inlay PowerMaxx SGS 12 Q	metaBOX 145 empty	628918000
deep drawn inlay SE 18 LTX 2500/4000/6000 metaBOX 145 L empty 628892000	deep drawn inlay SGS 18 LTX Q	metaBOX 145 L empty	628919000
	deep drawn inlay SE 18 LTX 2500/4000/6000	metaBOX 145 L empty	628892000

METABOX 63 XS ORGANIZER

Dimensions	252 x 167 x 63 mm
Case volume	?
Max. load cover	?
Weight	0.41 kg
Material	ABS







Order No. 626896000

- Intelligent transport and storage system for small parts and accessories
- Transparent cover for ideal overview
- Removable separators for perfect order
- Robust and break-proof due to the material and design
- Optimum protection of accessories and small parts against dirt and moisture (IP43)
- Easy stacking and coupling on any metaBOX
- Comfortable cover handle to carry several organisers 63 XS stacked
- One box in the stack can easily be opened without having to decouple it
- Can be used as lunchbox due to food-grade, dishwasher-resistant plastic
- Size: 252 x 167 x 63 mm / Weight: 0,41 kg

METABOX 118 ORGANIZER

Dimensions	396 x 296 x 118 mm
Case volume	8.4
Max. load cover	125 kg
Weight	1.3 kg
Material	ABS







- Intelligent transport and storage system for small parts and accessories
- Maximum overview thanks to the twelve Sortimo insertion boxes in different sizes that can be positioned freely
- Safe plug-in connection of each insertion box in the base of the organiser, which permits the use of individual boxes
- With twelve labels for individual identification of the contents
- Extremely robust and break-proof due to the material and design for maximum resilience
- Optimum protection of accessories and small parts against dirt and moisture (IP43)
- Fast and easy stacking and coupling of the boxes in all system widths
- One box in the stack can easily be opened without having to decouple it
- Set consisting of 4 of each insertion boxes 1x1 H63 (52 mm x 52 mm x 63 mm); 5x insertion boxes 1x2 H63 (104 mm x 52 mm x 63 mm); 2x insertion boxes 2x2 H63 (104 mm x 104 mm x 63 mm); 1x insertion boxes 2x3 H63 (157 mm x 104 mm x 63 mm)

50 51





SSD 18 LT 200 BL CORDLESS IMPACT DRIVER

- Compact cordless impact driver with 1/4" hexagon socket and 200 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Three speed/torque levels for a varied range of applications
- Integrated work light for illumination of the work area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability

Battery pack voltage	18 V
Maximum torque	200 Nm
Speed/torque levels	3
Bit retainer	Hexagon recess 1/4" (6.35 mm)

SSD 18 LT 200 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602397840

^{*} See page 151 for Battery Set options

Full Service price group FS4



metabo



BRUSHLESS







SSW 18 LT 300 BL CORDLESS IMPACT WRENCH

- Compact cordless impact wrench with 1/2" male square and 300 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Three speed/torque levels for a varied range of applications
- Integrated work light for illumination of the work area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability

Battery pack voltage	18 V
Maximum torque	300 Nm
Speed/torque levels	3
Bit retainer	Male square 1/2" (12.70 mm)

SSW 18 LT 300 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602398840







BRUSHLESS

SSD 18 LTX 200 BL CORDLESS IMPACT DRIVER

■ Compact cordless impact driver with 1/4" hexagon socket and 200 Nm

 Unique Metabo brushless motor for quick work progress and highest efficiency for any application

 Automatic Power Shift (APS) supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening

■ Integrated work light for illumination of the work area

Battery pack voltage	18 V
Maximum torque	200 Nm
Speed/torque levels	12
Bit retainer	Hexagon recess 1/4" (6.35 mm)

SSD 18 LTX 200 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602396840

^{*} See page 151 for Battery Set options


Full Service price group FS4



Full Service price group FS4

54 55

NEW



SSW 18 LTX 300 BL CORDLESS IMPACT WRENCH

- Compact cordless impact wrench with 1/2" square drive and 300 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Automatic Power Shift (APS) supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening

Battery pack voltage	18 V
Maximum torque	300 Nm
Speed/torque levels	12
Bit retainer	Male square 1/2" (12.70 mm)

SSW 18 LTX 300 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	602395840







BRUSHLESS

SSW 18 LTX 400 BL CORDLESS IMPACT WRENCH

- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Overload protection: protects the motor from overheating
- High torque accompanied by an exceptionally compact design
- Low kick-back operation with extremely high torque
- Twelve speed/torque levels for a wide range of applications
- Integrated work light for illumination of the work area

Battery pack voltage	18 V
Maximum torque	400 Nm
Speed/torque levels	12
Bit retainer	Male square 1/2" (12.70 mm)

SSW 18 LTX 400 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602205840

^{*} See page 151 for Battery Set options







SSW 18 LTX 600 CORDLESS IMPACT WRENCH

- Very powerful for demanding applications
- Low kick-back operation with extremely high torque
- Integrated work light for illumination of the work area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability
- Handy belt hook, can be fixed either on the right or left side
- With metaBOX, the intelligent solution for transport and storage

Battery pack voltage	18 V
Maximum torque	600 Nm
Speed/torque levels	1
Bit retainer	Male square 1/2" (12.70 mm)

SSW 18 LTX 600 BL scope of delivery

Belt hook with bit holder metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602198840

* See page 151 for Battery Set options

Full Service price group FS4



SSW 18 LTX 1450 BL CORDLESS IMPACT WRENCH

- Extremely powerful cordless impact driver with 1/2" male square and 1450 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Loosening in APS mode (automatic power shift): prevents falling of the screw/nut with automatic speed reduction after loosening

■ Screwdriving in APS mode (automatic power shift): prevents overtightening of the screw/nut with automatic shutdown after the first impact

Battery pack voltage	18 V
Maximum torque	1450 Nm
Speed/torque levels	12
Bit retainer	Male Square 1/2" (12.70 mm)

SSW 18 LTX 1450 BL scope of delivery

metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602401840

^{*} See page 151 for Battery Set options

Full Service price group FS4









58



SSW 18 LTX 1750 BL CORDLESS IMPACT WRENCH

- Extremely powerful cordless impact driver with 3/4" male square and 1750 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Loosening in APS mode (automatic power shift): prevents falling of the screw/nut with automatic speed reduction after loosening
- Screwdriving in APS mode (automatic power shift): prevents overtightening of the screw/nut with automatic shutdown after the first impact

Battery pack voltage	18 V
Maximum torque	1750 Nm
Speed/torque levels	12
Bit retainer	Male square 3/4" (19 mm)

SSW 18 LTX 1750 BL scope of delivery

metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602402840

^{*} See page 151 for Battery Set options









Full Service price group FS4

61 60



BH 18 LTX BL 16 CORDLESS ROTARY HAMMER

- Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Rotary hammer with 2 functions: hammer drilling and drilling

Battery pack voltage	18 V
Max. single blow energy (EPTA)	1.3 J
Drill-Ø concrete with hammer drills	16 mm
No-load speed	0 - 730 rpm
Weight (including battery pack)	2.1 kg

BH 18 LTX BL 16 Scope of delivery

Side handle, Drilling depth guide, metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	600324840



Full Service price group FS3

62







Also available in 12V - see page 9

* See page 151 for Battery Set options



KH 18 LTX BL 24 Q SET ISA CORDLESS HAMMER



- Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Dust-free drilling with compact dust extraction ISA 24
- Combination hammer with 3 functions: hammer drilling drilling and chiselling

Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4750 bpm
Drill Ø concrete with hammer drills	24 mm
Drill Ø masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1280 / min

Battery options	Order No.
Body only + metaBOX 185 X L + ISA 24 Extraction unit	601714900

KH 18 LTX BL 24 Q SET ISA Scope of delivery

Integrated dust extraction ISA 24, Replacement extraction head, Hammer chuck for tools with SDSplus shank end, Keyless chuck for tools with cylindrical shank, rubber-coated side handle, Drilling depth guide, metaBOX 185 XL, without battery pack, without charger





KH 18 LTX 24 CORDLESS HAMMER

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Variospeed (V) Electronics for working at customised speeds to suit various application materials
- Electronic soft start for precise spot-drilling

Max. single blow energy (EPTA)	2.1 J
Maximum impact rate	5200 bpm
Drill Ø concrete with hammer drills	24 mm
Drill Ø masonry with core bits	68 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1400 / min

Battery options	Order No.
Body only plus metaBOX 165 L	601712840

^{*} See page 151 for Battery Set options

Available from April 2022

Full Service price group FS4



KH 18 LTX 24 Scope of delivery

Rubber-coated side handle Drilling depth guide metaBOX 165 L without battery pack, without charger



KH 18 LTX BL 24 QUICK CORDLESS HAMMER

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits

Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4750 bpm
Drill Ø concrete with hammer drills	24 mm
Drill Ø masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1280 / min

Battery options	Order No.
Body only plus metaBOX 165 L	601714840

^{*} See page 151 for Battery Set options

Available from April 2022

Full Service price group FS4



KH 18 LTX BL 24 QUICK Scope of delivery

Hammer chuck for tools with SDS-plus shank end Keyless chuck for tools with cylindrical shank Rubber-coated side handle Drilling depth guide metaBOX 165 L without battery pack, without charger



KH 18 LTX BL 24 CORDLESS HAMMER

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer actions
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health

Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4750 bpm
Drill Ø concrete with hammer drills	24 mm
Drill Ø masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1280 / min

Battery options	Order No.
Body only plus metaBOX 165 L	601713840

^{*} See page 151 for Battery Set options

Available from April 2022

Full Service price group FS4





KH 18 LTX BL 24 Scope of delivery

Rubber-coated side handle, Drilling depth guide, metaBOX 165 L, without battery pack, without charger



KH 18 LTX BL 28 QUICK CORDLESS HAMMER

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- in a low-tatigue manner whilst protecting the user's health

 Metabo Quick: fast, tool-free chuck for working with SDS-plus
 and straight shank drill bits

Max. single blow energy (EPTA)	3.0 J
Maximum impact rate	4470 bpm
Drill Ø concrete with hammer drills	28 mm
Drill Ø masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1000 / min

Battery options	Order No.
Body only plus metaBOX 165 L	601715840

^{*} See page 151 for Battery Set options

Available from June 2022

Full Service price group FS4



KH 18 LTX BL 28 QUICK Scope of delivery

Hammer chuck for tools with SDS-plus shank end, Rubber-coated side handle, Drilling depth guide, Carrying strap, metaBOX 165 L, without battery pack, without charger



65



ISA 18 24 DUST EXTRACTOR



- Extremely light and compact dust extraction for dust-free drilling in concrete, stone and masonry
- Simple, tool-free installation to the cordless hammer KH 18 LTX BL 24/28 Q
- Ideal for working overhead or in areas sensible to dust
- Health-friendly working with HEPA filter for smallest dust particles

Order No. 631357840 with metaBOX 145

Full Service price group FS2



ESA PLUS EXTRACTION SET



- For drilling Ø 5-32 mm
- Flexible 360° dust cap, adjustment to 160 mm and 210 mm drill bit
- Compatible with all new Metabo SDS-plus hammers in connection with all Metabo M- and H-vacuum cleaners
- External dust extraction

Order No. 623770000



KHA 36-18 LTX 32 CORDLESS HAMMER

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits
- Metabo S-automatic safety clutch: mechanical decoupling of the drive for safe working should the drill stop unexpectedly

2 x 18 V
3.1 J
4500 bpm
32 mm
68 mm
13 mm / 30 mm
0 - 1100 rpm
SDS-plus
5.8 kg

KHA 36-18 LTX Scope of delivery

Hammer chuck for tools with SDS-plus shank end Keyless chuck for tools with cylindrical shank Metabo VibraTech (MVT) side handle Drilling depth guide, MetaLoc case without battery pack, without charger

66



Battery options	Order No.
Body only plus 3 Jaw chuck	600796840

* See page 151 for Battery Set options

Full Service price group FS4

DDE 14 VACUUM CLEANER ADAPTER

- Vacuum cleaner adapter for extracting drilling dust at the hole entry point
- Safe and dust-free drilling in walls and ceilings

Drill Ø 4 - 14 mm Order No. 630829000





SDS-PLUS EXTRACTION DRILL BITS

- Active drill bit cooling for longest service life
- Drilling and cleaning in one work step
- Fast drilling progress thanks to optimal drill dust removal







KHA 18 LTX BL 40 CORDLESS SDS-MAX HAMMER

- Cordless hammer with SDS max holder for powerful hammer drilling and chiselling any time and anywhere
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Low-dust chiselling and drilling with external dust extraction ESA max (accessories)
- Combination hammer with 2 functions: hammer drilling and chiselling
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health

Battery pack voltage	18 V
Max. Single blow energy	8.6 J
Max. Impact rate	3200 bpm
Drill Ø concrete with hammer drills	40 mm
Drill Ø masonry with core bits	105 mm
No-load speed	450 - 580 rpm
Bit retainer	SDS-Max
Weight (including battery pack)	7.9 kg

KHA 18 LTX BL 40 Scope of delivery

Rubber-coated side handle
Side handle
Drilling depth guide
Lubricant for tool shank end
Duster
Plastic carry case
without battery pack, without charger



Battery options	Order No.
Body only plus carry case	600752840

* See page 151 for Battery Set options

Full Service price group FS4

ESA MAX EXTRACTION SET

- For drilling and chiselling with different attachments drill bits from Ø 16-52 mm, pointed and flat chisel up to 25 mm
- Tool-free installation drill bit and chisel can be removed without detaching the extraction system
- Compatible with all new Metabo SDS-max hammers in connection with all Metabo M- and H-vacuum cleaners
- External dust extraction

Order No. 623271000



DDE 72 VACUUM CLEANER ADAPTER

- Vacuum cleaner adapter for extracting drilling dust at the hole entry point
- For drill bits and core bits from Ø 6 72 mm. Connection Ø 37 mm outside / Ø 32 mm inside
- By virtue of the 2-chamber system and the foam rubber gasket it stays attached to almost all (even uneven) surfaces, such as plaster, natural stone and woodchip wallpaper.
 Minimal drill dust residue at walls and wallpapers
- The adapter is put on the existing suction hose.
 The negative pressure of the vacuum cleaner keeps the adapter to the respective subsurface


Order No. 631343000



SDS-MAX EXTRACTION DRILL BITS

- Drilling and cleaning in one work step reduces the dust exposure and reworking
- Greatest reinforcement compatibility, no sagging or clogging thanks to 4-blade-geometry with extra large dust outlets
- Noticeably fast drilling progress thanks to optimal drill dust removal
- Innovative head design with greatest concentricity for precise dowel holes
- Active drill bit cooling for long service life
- Dust-free drilling for compliance with legal provisions on user safety. Up to 98% less dust in the bore
- Universal vacuum cleaner adapter fits all standard industrial M and H class vacuum cleaners
- Kindly observe the installation instructions of the manufacturer when using the chemical installations







KT 18 LTX 66 BL CORDLESS PLUNGE CUT SAW

- Cordless plunge cut saw with brushless motor for powerful plunge cuts and precise cuts up to a depth of 66 mm (!)
- Adjustable fit without play on the guide rails from Metabo and other manufacturers for precise cutting results.
- LIHD high-performance battery packs and the Metabo brushless motor guarantee maximum power and enduring sawing
- Versatile application thanks to variable speed for different materials
- Double guide for precise setting of the cutting depth with and without guide rail
- Sawing close to the wall possible down to 14 mm

Battery pack voltage	18 V
Adjustable cutting depth	0 - 66 mm
Maximum cutting depth at 90°	66 mm
Saw blade Ø x bore	165 x 20 mm
Max. cutting speed	43 m/s

KT 18 LTX BL 66 Scope of delivery


Saw blade "precision cut wood - classic" 165x20 Z42 WZ 5° Dust bag

Hexagonal wrench metaBOX 340

without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 340	601866840

^{*} See page 151 for Battery Set options









- Powerful, light, cordless circular saw for universal use on construction sites
- Aluminium base plate can be directly used on guide rails from Metabo and other manufacturers
- Accurately angled bevel cuts down to 50°, with handy snap-in point at 45°

Battery pack voltage	18 V
Swivel range from / to:	0 / + 50°
Adjustable cutting depth	0 - 57 mm
Maximum cutting depth at 90°	57 mm
Maximum cutting depth at 45°	43 mm
Saw blade Ø x bore	165 x 20 mm
Maximum cutting speed	40 m/s

KS 18 LTX 57 Scope of delivery

Carbide circular saw blade (18 teeth) Parallel guide Hexagonal wrench metaBOX 340 without battery pack, without charger



^{*} See page 151 for Battery Set options

Saw Blades	Order No.	
Cordless Cut Wood Professional 165x20 Z18 WZ 20°	628294000	1
Cordless Cut Wood Professional 165x20 Z36 WZ 15°	628295000]







Compact cordless circular saw.

metabo

Excellent cutting depth.

FOR WOOD

 Aluminium base plate can be directly used on guide rails from Metabo and other manufacturers

Metabo Uk

- Fast, precise cross cuts thanks to easy coupling with a Metabo
- LIHD high-performance battery packs and the Metabo Brushless motor guarantee maximum power and enduring sawing

Battery pack voltage	18 V
Swivel range from / to:	0 / + 46°
Adjustable cutting depth	0 - 66 mm
Maximum cutting depth at 90°	66 mm
Maximum cutting depth at 45°	43 mm
Saw blade Ø x bore	165 x 20 mm
Maximum cutting speed	43 m/s

KS 18 LTX 66 BL Scope of delivery

Carbide circular saw blade (18 teeth) Parallel quide Hexagonal wrench metaBOX 340 without battery pack, without charger



Body only plus metaBOX 340







611866840

annon marit

Even more precise with guide rail.

















MKS 18 LTX 58 CORDLESS
METAL CUTTING CIRCULAR SAW

 Powerful cordless metal cutting circular saw with chip collection box for cold sawing of metals. Compatible with guide rails.

 Fast and precise cutting of tubes, profiles, channels, metal grids and sheets, free from sparks and burrs.

- With chip collection box for a clean working environment
- Robust saw with guard made from die-cast aluminium and stainless steel base plate
- Light weight and compact, ergonomic design

Battery pack voltage	18 V
Adjustable cutting depth	0 - 58 mm
Maximum cutting depth at 90°	58 mm
Saw blade Ø x bore	165 x 20 mm
Max. cutting speed	31 m/s

Battery options	Order No.
Body only plus metaBOX 340	600771840

^{*} See page 151 for Battery Set options

Saw Blades	Order No.
SteelCutClassic 165x1,6/1,2x20mm Z40 FZFA/FZFA 4°	628273000
AluminiumCutProf 165x1,6/1,2x20mm Z48 FZ/TR -5	628276000

MKS 18 LTX 58 Scope of delivery

Carbide circular saw blade for metal (40 teeth), Parallel guide, Hexagonal wrench, Guide rail adapter, metaBOX 340, without battery pack, without charger







Full Service price group FS4

Recommended circular saw blades Ø 165 mm

- Easy, competent, clear
- Extensive new range of circular saw blades for all applications
- In "professional" and "classic" qualities
- Uniform differentiation thanks to colour coding system

	Description	Order No.
metabe O	Application area: Multi cut - classic ■ Universal use for demanding materials ■ For high standards in cutting quality, e.g. for laminate, thin-walled plastic, aluminium, copper and brass materials Ø 165 x 2.2 x 20 mm Number of teeth: 42 Tooth shape: FZ/TZ Rake angle: 5°	628661000
O	Application area: Cordless cut wood ■ Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width ■ Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life Ø 165 x 1.6 x 20 mm Number of teeth: 18 Tooth shape: WZ Rake angle: 20°	628294000
O	Application area: Cordless cut wood ■ Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width ■ Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life Ø 165 x 1.6 x 20 mm Number of teeth: 36 Tooth shape: WZ Rake angle: 15°	628295000
O NE	Application area: Precision cut wood ■ Very wide range of uses in wood processing ■ For clean cutting results for ripping or cross cutting in softwood and hardwood Ø 165 x 1.8 x 20 mm Number of teeth: 42 Tooth shape: WZ Rake angle: 5°	628026000
0	Application area: Fibre cement cut ■ Especially for use in cement and gypsum-bound chipboards and fibreboards Ø 165 x 2.2 x 20 mm Number of teeth: 4 Tooth shape: FZ Rake angle: 5°	628289000
The state of the s	Application area: Aluminium cut ■ Perfect cuts in aluminium thanks to special tooth geometry Ø 165 x 1.6 x 20 mm Number of teeth: 48 Tooth shape: FZ/TZ Rake angle: 5° neg.	628276000
0	Application area: Steel cut - classic ■ Universal use for cold cuts in metals ■ Particularly suited for use in sheet steel, steel profiles and sandwich materials Ø 165 x 1.6 x 20 mm Number of teeth: 40 Tooth shape: FZFA/FSFA Rake angle: 4°	628273000

The Metabo guide rail system: precise and safe working.

- Splinter protection reduces breakout when sawing
- Safe, non-slip hold as well as protection of the workpiece surface by means of adhesive coating
- Safe fixing with holes to fix the rail to the workpiece and for hanging storage



Guide Rails	Order No.
FS 80: 800 mm Guide Rail	629010000
FS 160: 1600 mm Guide Rail	629011000
FS 160 + Carry Bag: 1600 mm Guide Rail	629011700
FS 250: 2500 mm Guide Rail	629013000
FS 310: 3100 mm Guide Rail	629014000

	Accessories	Order No.
	Metabo FSKIT 2 x FS 160 guide rails, FS bag, FS connector + 2 x Screw clamps	UK629011002
Render .	Guide Rail Carry Bag (FS BAG) Handy carry bag for safe storage and transport of the guide rail up to 160 cm Suitable for Metabo guide rails FS 160	629020000
À	Fix Clamp for FS For quick and safe fixing of guide rails from Metabo and other manufacturers Solid hold even in case of vibrations 160 mm clamping height	629021000
AR	Set of 2 Screw Clamps For safe fixing of guide rails from Metabo and other manufacturers 120 mm clamping height	631031000
	Connector FSV For the tool-free connection of two guide rails for particularly long cuts Can be pushed into the guide rail for storage Suitable for the Metabo guide rails FS	629022000
	Splinter Protection for FS 350 cm Reduces tears in the workpiece Roll with 3.5 m (as replacement) Suitable for the Metabo guide rails FS	629023000
1	Sliding Pad for FS 700 cm For easy gliding on the guide rail Roll with 7 m (as replacement)	629024000
1	Antislip Strap for FS 700 cm For safe, non-slip hold as well as protection of the workpiece surface Roll with 7 m (as replacement) Suitable for the Metabo guide rails FS	629025000
	Mitre Fence for FS For precise alignment of the guide rail on the workpiece Angle adjustable from -60° to +60° Suitable for the Metabo guide rails FS	629026000

The new Cross-cutting rails: quick and precise angled cuts.



- Mobile, compact solution for angle-precise cross cuts directly at the application site, ideal on the roof
 or on mounted workpieces
- Can be coupled with the Metabo circular saws KS 18 LTX 66 BL and KS 18 LTX 57
- Angle cuts up to 60° click positions at standard angles
- The integrated return mechanism brings the saw back into the starting position after the cut
- Easy coupling with the circular saw thanks to quick closure
- Splinter protection reduces breakout when sawing
- Adhesive coating for safe, non-slip surface contact as well as protection of the workpiece surface



Cross-cut Rails	Order No.
KFS 30: Cutting length 300 mm	629015000
KFS 44: Cutting length 440 mm	629016000
KFS 70: Cutting length 700 mm	629017000



KFS 30: Cutting length 300 mm Overall length 690 mm



SSEP 18 LTX BL MVT CORDLESS SABRE SAW

- Extremely powerful cordless sabre saw for demanding applications
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Variospeed (V) Electronics for working with customised stroke rates for the materials used
- Selectable pendulum stroke for optimum sawing performance
- Metabo Quick for changing saw blades without tools
- Metabo VibraTech (MVT): integrated weight balance to reduce vibrations
- Depth guide can be adjusted without tools for ideal utilisation of the saw blade and diverse applications such as plunge cuts
- Integrated LED work light for optimum illumination of the cutting line
- Free hands in the work breaks thanks to practical scaffolding hook (removable)
- Can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-system.com





Battery pack voltage	18 V
Strokes – no load	0 - 3000 / min
Saw blade stroke	32 mm
Weight without battery pack	3.9 kg
Weight with battery pack	4.6 kg











SSEP 18 LTX BL MVT Scope of delivery

Sabre saw blade for wood and metal, metaBOX 165 L, without battery pack, without charger

	Order No.
Body only plus metaBOX 165 L	602258840

* See page 151 for Battery Set options



Visit our website for full range of Sabre saw bla



SSE 18 LTX BL CORDLESS SABRE SAW

- Powerful sabre saw with low weight and angled soft grip handle for high working comfort
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application

BRUSHLESS

- Robust die-cast aluminium gear housing, coated for optimum handling
- Continuous speed control trigger c/w locking function for continuous operation
- Saw blade rotatable by 180° for working comfortably overhead

Battery pack voltage	18 V
Strokes – no load	0 - 2700 / min
Saw blade stroke	32 mm

SSE 18 LTX BL Scope of delivery

without battery pack, without charger, metaBOX 145 L



* See page 151 for Battery Set options

Full Service price group FS4

SSE 18 LTX BL COMPACT CORDLESS SABRE SAW

- Light, extremely handy saw for one or two handed operation
- Especially suitable for working in difficult to reach places
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Variospeed (V) Electronics for working with customised stroke rates for the materials used
- Saw blade rotatable by 180° for working comfortably overhead
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades

Battery pack voltage	18 V
Strokes - no load	0 - 3000 / min
Saw blade stroke	16 mm

SSE 18 LTX BL Compact Scope of delivery

Sabre saw blade for wood and metal metaBOX 145

without battery pack, without charger



Battery options	Order No.
Body only plus metaBOX 145	602366840

^{*} See page 151 for Battery Set options









Full Service price group FS3

ASE 18 LTX CORDLESS SABRE SAW

- Slim, lightweight machine with softgrip handle for comfortable sawing in every working position
- Saw blade rotatable by 180° for working comfortably overhead
- Metabo "Quick" for changing saw blades without tools
- 3-year battery pack warranty by means of Ultra-M technology

Battery pack voltage	18 V
Strokes - no load	0 - 2700 / min
Saw blade stroke	30 mm

ASE 18 LTX Scope of delivery

Hexagonal wrench without battery pack, without charger

Battery options	Order No.
Body only	602269850

^{*} See page 151 for Battery Set options





SSE 18 LTX COMPACT CORDLESS SABRE SAW

- Light, extremely handy saw for one or two handed operation
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades
- Depth guide can be adjusted without tools for ideal utilisation of the saw blade and diverse applications such as

Battery pack voltage	18 V
Strokes – no load	0 - 3100 / min
Saw blade stroke	13 mm

SSE 18 LTX Compact Scope of delivery

metaBOX 145 without battery pack, without charger



^{*} See page 151 for Battery Set options











80

Full Service price group FS4

81

STA 18 LTX 140 CORDLESS JIG-SAW

- Extremely powerful jigsaw with VTC-Electronics for fast cuts into softwood of up to 140 mm
- Extremely handy due to small handle size and soft-grip surface
- Precise and material-matched sawing due to the variable stroke rate, pendulum stroke and low-lying saw blade guidance with spring support
- Metabo "Quick" for changing saw blades without tools and with automatic ejection
- Convenient automatic start-up with automatic stroke rate acceleration
- Simple bevel cuts thanks to footplate with rest points that can be adjusted without tools
- Selectable shaving blower function ensures free view of cutting line
- Integrated LED work light for illumination of the cutting line
- Vario-Tacho-Constamatic (VTC)-Full Wave Electronics for work with materials requiring customised stroke rates, which remain constant under load
- Restart protection: prevents unintentional start-up after power supply interruption
- Long service life thanks to optimum gear and motor design and robust die-cast aluminium gear housing



		melabo	
iew etαBΟΧ	(inho)		Out. Out.

Battery pack voltage	18 V
Cutting depth wood	140 mm
Cutting depth NF metal	35 mm
Cutting depth sheet steel	10 mm
Swivel range from / to:	- 45 / + 45°
Pendulum stroke levels	4
Strokes – no load	1000 - 3000 / min
Weight (inc. battery pack)	2.8 kg

STA 18 LTX 140 Scope of delivery

Plastic guard plate Chip guard plate metaBOX 145 L without battery pack, without charger

	Order No.
Body only + metaBOX 145 L	601405840

* See page 151 for Battery Set options

Full Service price group FS4

STA 18 LTX 100 CORDLESS JIGSAW

- Extremely handy due to small handle size and soft-grip surface
- Precise and material-matched sawing due to the variable stroke rate, pendulum stroke and low-lying saw blade quidance with spring support
- Metabo "Quick" for changing saw blades without tools and with automatic ejection

Battery pack voltage	18 V
Cutting depth wood	100 mm
Strokes – no load	550 - 2800 / min

STA 18 LTX 100 Scope of delivery

Extraction nozzle Protective glass Chip guard plate Hexagonal wrench metaBOX 145 L without battery pack, without charger

	Order No.
Body only plus metaBOX 145 L	601002840

* See page 151 for Battery Set options

Full Service price group FS3



STAB 18 LTX 100 CORDLESS JIGSAW

- Extremely handy due to small handle size and soft-grip surface
- Precise and material-matched sawing due to the variable stroke rate on the trigger, pendulum stroke and low-lying saw blade guidance with spring support
- Metabo "Quick" for changing saw blades without tools and with automatic ejection



Battery pack voltage	18 V
Cutting depth wood	100 mm
Strokes in idle	0 - 2800 / min

STAB 18 LTX 100 Scope of delivery

Extraction nozzle
Protective glass
Chip guard plate
Hexagonal wrench
metaBOX 145 L
without battery pack, without charger



	Order No.
Body only plus metaBOX 145 L	601003840

* See page 151 for Battery Set options

DUNCK

QUICK



HO 18 LTX 20-82 PLANER

- Light, compact cordless planer for planing, rebating and chamfering
- Adjustable planer depth and notch depth
- Aluminium die cast and milled cut planer base with V-groove for easy chamfering
- Parallel guide / rip fence for precise guiding of the planer
- Grip area with non-slip soft-grip surface
- Extraction possibility by means of connecting an all-purpose vacuum cleaner
- Angled chip ejection adapter for controlled ejection of the wood shavings





2 Reversible carbide planer blades For HO planers

Order No. 630282000

10 Reversible carbide planer blades For HO planers

Order No. 630272000

HO 18 LTX 20-82 Scope of delivery

Reversible carbide planer blades Parallel Guide / Rip Fence Depth gauge Chip ejection adapter Textile dust bags metaBOX 340 without battery pack, without charger



	Order No.
Body only plus metaBOX 340	602082840

* See page 151 for Battery Set options

Full Service price group FS4

85



MT 18 LTX BL QSL CORDLESS MULTI-TOOL

- Oscillating cordless multi-tool with high performance comparable to that of a mains powered version
- For intensive applications in interior development with custom-fit 3D holder Starlock Plus
- Indispensable for interior development such as cutting, sanding and scraping of different materials
- Metabo Quick tool change: quick and comfortable thanks to magnetic holder to pre-fix the accessory
- Unique Metabo brushless motor highest efficiency when working, also in continuous mode

Battery pack voltage	18 V
Orbital frequency with no load	8,000-20,000 rpm
Oscillation angle left/right	1.6 °
Bit retainer	Starlock/ Starlock Plus

MT 18 LTX BL QSL Scope of delivery

Plunge saw blade 32 mm wood/metal metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	613088840

^{*} See page 151 for Battery Set options





Multi-tool blades & accessories (Starlock Plus)

	Description	Order No.
	Sanding plate "Starlock" 93 mm	626944000
	Plunge cut saw blade "Starlock Plus" wood+metal 32 x 60 mm STARLOCK PLUS	626945000
	Plunge cut saw blade " Starlock Plus" wood 32 x 60 mm STARLOCK PLUS	626946000
	Precision saw blade "Starlock Plus" 32 x 50 mm STARLOCK PLUS	626947000
	Plunge cut saw blade "Starlock Plus" metal 32 x 50 mm STARLOCK PLUS	626948000
**	Saw blade "Starlock Plus" wood/abrasive 40 x 53 mm STARLOCK PLUS	626949000
	Depth control + dust extraction ■ Depth guide for precise working depth and working near edges: easy and fast installation, angle adjustable ■ Extraction nozzle for the dust extraction: can be used on both sides of the machine	626943000







87

MT 18 LTX COMPACT CORDLESS MULTI-TOOL

- Oscillating cordless multi-tool with high performance comparable to that of a mains powered version
- Indispensable for interior development such as cutting, sanding and scraping of different materials
- Tool holder for maximum compatibility to OIS, Starlock and other accessories
- Metabo Quick tool change system for time-saving, convenient change of accessories
- Fast and powerful thanks to the combination of a large oscillation angle of 3.2° and VTC-Electronics to maintain constant speed even under load
- Extra bright double LED lights for good visibility of the working area
- Slim design and non-slip soft-grip surface for optimised handling
- Extraction possibility by means of connecting an all-purpose vacuum cleaner



Battery pack voltage	18 V
Orbital frequency no load	7000 - 18000 / min
Oscillation angle left / right	1.6°
Base plate, dimensions from corner to corner	93 mm

Battery options	Order No.
Body only + metaBOX 145 L	613021840

^{*} See page 151 for Battery Set options

MT 18 LTX Scope of delivery

Plunge saw blade 32 mm HCS (wood)
Triangular hook and loop sanding plate 93 mm
5 Hook and loop sanding sheets 93 mm P 80
5 Hook and loop sanding sheets 93 mm P 120
Suction Adapter
Multi-adapter
metaBOX 145 L
without battery pack, without charger

Full Service	price	group	FS3
--------------	-------	-------	-----

, H / J L

Multi-tool blades STARLOCK

Description	Order No.
	626950000
plunge cut saw blade wood HCS 32 mm	
5 plunge cut saw blade wood HCS 32 mm	626951000
plunge cut saw blade wood+metal BiM 20 mm	626952000
plunge cut saw blade wood+metal BiM 28 mm	626953000
5 plunge cut saw blade wood+metal BiM 28 mm	626954000
plunge cut saw blade wood+metal BiM 65 mm	626955000
plunge cut saw blade wood+metal BiM 32 mm	626956000
plunge cut saw blade metal BiM 32 mm	626957000
5 plunge cut saw blade metal BiM 32 mm	626958000
plunge cut saw blade metal HM/TC 32 mm	626959000
segment saw blade wood+metal BiM 85 mm	626960000
scraper HCS 52 mm	626961000
segment saw blade grout+mortar HM 85 mm	626962000
sanding plate grout+mortar HM 78 mm	626963000

Cordless with best ergonomics.



SXA 18 LTX 125 BL CORDLESS RANDOM ORBITAL SANDER



- Flat cordless random orbital sander with ergonomic design and low weight for low-fatigue working
- Comfortable guidance of the sander close to the surface thanks to the low overall height
- Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Soft start minimises surface damage when placing the machine on the work surface
- Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- Orbit diameter 2.0 mm for highest surface quality with good material removal
- Infinitely variable speed control for working with different materials
- Multi-hole sanding pad for effective extraction and a longer service life of the sanding medium
- With easy to empty textile dust bag for working without extraction facilities
- Can be connected to an all-purpose vacuum cleaner with the coupling bush 630798000
- Motor and plate brake permits quick placing down of the machine after use
- Removable protector protects adjacent surfaces and increases the service life of the sanding pad
- With metaBOX, the intelligent solution for transport and storage







Removable protector protects adjacent surfaces and increases the service life of the sanding pad

Battery pack voltage 18 V	
Diameter of backing pad 125 mm	
No-load speed 4000 - 10000	
Orbit diameter 2 mm	
Weight (including battery)	1.7 kg

Battery options	Order No.
Body only plus metaBOX 215	600146840







Sanding pad "multi-hole" with hook and loop

1 Hook and loop sanding sheet P 120 wood and metal "professional"

Protector Ø 125 mm

Textile dust bag compact

Hexagonal wrench

metaBOX 215

without battery pack, without charger

TS 36-18 LTX BL 254 CORDLESS TABLE SAW WITH STAND AND TROLLEY FUNCTION

- Extremely light cordless table saw with trolley function for maximum mobility
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- Integrated extraction with dust cyclone for low-dust working without vacuum cleaner
- Quick change between sawing at ground-level or when standing up thanks to integrated, folding stand
- Extra-large support surface thanks to table width extension and table length extension
- Soft start and overload protection for long service life of motor and drive
- Safe working thanks to restart protection and motor brake for quick stop of the saw blade

	A Comment of the Comm
Battery pack voltage / type	18 V LiHD
Max. support surface	970 x 995 mm
Working height	850 x 355 mm
Cutting height	0 - 87 mm
Maximum cutting height 90/45°	87 / 50 mm
Maximum cutting width at parallel guide/rip fence	630 mm
Maximum material width at mitre fence	200 mm
No-load speed	5000 rpm
Max. cutting speed	66 m/s
Saw blade	254 x 300 mm

BRUSHLESS











TS 36-18 LTX BL 254 Scope of delivery

Carbide saw blade with alternately bevel-ground tips (40 teeth) Textile dust bag

without battery pack, without charger

Stand

Rubber tyres

Rip Fence

Mitre Fence

Table Length Extension

Table Width Extension Push stick

Dust cycles

Battery options	Order No.
Body only	613025850

^{*} See page 151 for Battery Set options



NEW

Order No.

630611000

630836000

HBS 18 LTX BL 3000 CORDLESS DRYWALL SCREWDRIVER

- Drywall screwdriver for fixing gypsum plasterboards to wood and metal; also suitable for gypsum fibre boards to metal frames
- Autostart: screwdriver starts automatically when pressed on for comfortable, economical working
- Precise driving of screws by virtue of finely adjustable depth guide and low-noise claw coupling
- Depth guide can be fully removed for inspection during operation
- Vario (V)-electronics for working with customised speeds for the materials used
- Integrated working light to illuminate the work sits
- Selectable "Impuls" mode for precise driving in of protruding screws without having to remove the depth guide



Accessory tip

Battery pack voltage	18 V
Bit Retainer	Hexagon recess 1/4" (6.35 mm)
Maximum torque - Soft	6 Nm
No-load speed	0 - 5000 / min

HBS 18 LTX BL 3000 Scope of delivery

Depth guide Magnetic bit holder 1/4" (6.35 mm) Phillips screwdriver bit, size 2/25 mm Belt hook metaBOX 145 L without battery pack, without charger

	Order No.
Body only plus metaBOX 145 L	620062840

Full Service price group FS3

Screwdriver magazine **SPEED FIX 57** For inserting screws


accurately in quick

2 Phillips screwdriver bits Size 2/176.5 mm

Suitable for screwdriver

magazine SPEED FIX 57

* See page 151 for Battery Set options



TBS 18 LTX BL 5000 CORDLESS DRYWALL SCREWDRIVER

- The expert among the cordless drywall screwdrivers with high speed for fast serial screwing of plasterboards
- Autostart: screwdriver starts automatically when pressed on for comfortable, economical working
- Unique Metabo brushless motor for fast working work progress and highest efficiency, ideal for series screw fastenings
- Lightweight, handy screwdriver with ergonomic shape for precise guidance and power transmission in the screwdriving axis
- Compact and lightweight design for comfortable one-hand operation
- Selectable "Impuls" mode for precise driving in of protruding screws without having to remove the depth guide

Battery pack voltage	18 V
Bit Retainer	Hexagon recess 1/4" (6.35 mm)
Maximum torque - Soft	6 Nm
No-load speed	0 - 5000 / min

TBS 18 LTX BL 5000 Scope of delivery

Depth stop, magnetic bit holder 1/4" (6.35mm). Phillips screwdriver bit size 2/25 mm, belt hook, metaBOX 145 L, without battery pack, without charger

	Order No.
Body only plus metaBOX 145 L	620063840

^{*} See page 151 for Battery Set options



RW 18 LTX 120 CORDLESS MIXER

- Cordless Mixer for powerful mixing on the construction site
- Minor effort to guide the stirrer thanks to ergonomically favourable handle position
- Robust metal gripping frame to protect against damage
- Battery pack is protected by its location on the top and helps to ensure perfect balance when stirring
- Vario-Constamatic (VC)- Electronics for work with materials requiring customised speeds, which remain almost




Battery pack voltage	18 V
No-load speed	0 - 750 rpm
Gears	2
Maximum stirring paddle diameter	120 mm
Max. recommended mixing amount	40 L
Bit retainer	Female thread M 14



RW 18 LTX 120 Scope of delivery

Stirrer paddle RS-R2 (Ø 120 mm) without battery pack, without charger

	Order No.
Body only	601163850







* See page 151 for Battery Set options





HG 18 LTX 500 CORDLESS HEAT GUN

- Lightweight cordless hot air gun for powerful head fast and everywhere
- Heats up in a matter of seconds, ready to use in only 5 seconds (300°C)
- Maximum performance thanks to larger air volume and higher temperatures
- Two temperature levels, easy switchover while working
- High occupational safety thanks to slim, rubberised handle area and safe storage option
- Matching nozzles for removal of varnish, shaping, crimping, welding and much more (accessories)

Battery pack voltage	18 V
Air volume	200 / 160 l/min
Air temperature	300 / 500 °C
Air temperature levels	2

HG 18 LTX 500 Scope of delivery

Wrap around nozzle, Reducing nozzle (9 mm), metaBOX 145 L.

Battery options	Order No.
Body only plus metaBOX 145 L	610502840



Full Service price group FS2

96

KPA 18 LTX 400 CORDLESS CAULKING GUN

- Extremely high discharge force, also suited for processing particularly viscous materials
- Infinitely variable setting of the discharge speed for precision working
- Metabo Quick: quick, tool-free change between cartridges and film bags
- No dripping thanks to automatic retraction of the gear rack
- Optimal material use thanks to almost complete discharge

			value -
Battery pack voltage / type	18 V Li-ion		
Discharge pressure	7259 N	molalso.	
Holder size	400 ml		
Feed rate in idle	1-10 mm/s		
Suitable for	Cartridges / Foil bag		
KPA 18 LTX 400 Scope of	delivery		
400 ml tube, Push plate for fo			
Push plate for cartridges, Cart without battery pack, without			

CAULKING GUNS





Full Service price group FS4

KPA 18 LTX 600 CORDLESS CAULKING GUN

- Extremely high discharge force, also suited for processing particularly viscous materials
- Infinitely variable setting of the discharge speed for precision working
- Metabo Quick: quick, tool-free change between cartridges and film bags
- No dripping thanks to automatic retraction of the gear rack
- Optimal material use thanks to almost complete discharge

Battery pack voltage / type	18 V LiHD			
Discharge pressure	7259 N	(E) I	1000	
Holder size	600 ml		melense	
Feed rate in idle	1-10 mm/s			
Suitable for	Cartridges / F	oil bag	7	
KPA 18 LTX 600 Scope of	delivery		_	
600 ml tube, Push plate for foil bag, Push plate for cartridges, without battery pack, without charger				The state of the s

Order No. Body only 601207850



Full Service price group FS4

98



AS 18 L PC CORDLESS VACUUM CLEANER

- Light, compact cordless vacuum cleaner for mobile use for extraction and vacuuming of dust and chips
- Dry vacuum cleaner with commercial registration, certified in accordance with EU standard for L class dust
- PressClean: manual filter cleaning using strong air flow by activating the switch on the extraction unit during breaks
- With integrated blow function for blowing out, drying and drawing off exhaust air
- Eco mode for longer runtime per battery pack charge, boost mode for maximum power
- Large corner switch for easy switching On/Off also by foot
- Practical storage for second battery pack, charger, nozzles and hose (3 m)








Air output max.	2100 cfm
Vacuum	120 hPa (mbar)
Container volume	7.5 L

AS 18 L PC Scope of delivery

Stretchy suction hose (Ø 32 mm / 0.7-3.5 m), Fleece filter bag, Suction nozzle (120 mm wide), Crevice nozzle, Carrying strap, without battery pack, without charger

Battery options	Order No.
Body only	602021850







Trolley AS 18 L PC Order No. 630174000

^{*} See page 151 for Battery Set options

^{*} See page 151 for Battery Set options



AS 18 HEPA PC COMPACT CORDLESS WET/DRY VACUUM CLEANER



- Portable, compact cordless vacuum cleaner with HEPA filter for wet and dry vacuum cleaning (IPX4), ideal for smaller cleaning and extraction jobs
- Equipped with HEPA filter, keeps back 99.95% of fine dusts
- PressClean: manual filter cleaning using strong air flow by activating the switch on the extraction unit during breaks
- With integrated blow function for blowing out, drying and drawing off exhaust air
- Eco mode for longer runtime per battery pack charge, boost mode for maximum power
- With stretchy hose for comfortable handling and maximum freedom of movement when vacuuming
- Dust-proof and splash-proof battery pack compartment with lockable flap
- Hoses, pipes and nozzles can be stored directly on the vacuum cleaner
- Easy transport with ergonomically-designed handle or carry strap
- Can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-system.com



18 V
2100 l/min
120 hPa (mbar)
6 L
32 mm
2.5 m
4.8 kg

Full Service price group FS2

Battery options	Order No.
Body only (Cardboard box)	602029850





AS 18 HEPA PC COMPACT Scope of delivery

Stretchy suction hose (Ø 32 mm / 0.5-2.5 m) without battery pack, without charger 3 Plastic suction tubes

Intermediate sleeve

Fleece filter bag

HEPA flat pleated filter

Suction nozzle (120 mm wide)

Crevice nozzle

Carrying strap

Coupling bush internal Ø 28 mm / external Ø 35 mm



ASR 36-18 BL 25 M SC CORDLESS WET/DRY VACUUM CLEANER

- Best in class cordless wet/dry vacuum cleaner with cordless control function for intelligent extraction without cable connection
- CordlessControl: the vacuum cleaner starts/stops automatically when the cordless tool from Metabo or other brands, which is connected to the hose, is switched on/off.
- Manual starting of the vacuum cleaner is also possible with the remote button at the coupling bush of the hose
- Commercially approved cordless vacuum cleaner, certified for dusts of dust class M

Battery pack voltage	1 x 36 V / 2 x 18 V
Air output max.	4.000 l/min
Vacuum	240 hPa (mbar)
Container volume	25 L
Suction hose Ø	35 mm

ASR 36-18 BL 25 M SC Scope of delivery

Suction hose 630177000 (Ø 35 mm / 4.0 m / electro-conductive), CordlessControl transmitter with fixing tape Ø 35 mm, 1 Multi tape, 2 Plastic suction tubes, Handle adapter, Fleece filter bag, 2 Polyester filter cassettes (M class), Floor nozzle (300 mm wide). Crevice nozzle, Coupling bush internal Ø 28 mm / external Ø 35 mm, without battery pack, without charger


Battery options	Order No.
Body only + Accessories	602046850

Full Service price group FS4

* See page 151 for Battery Set options

Vacuum cleaner accessories

		Description	Order No.
AS 18 L PC		5 FLEECE FILTER BAGS - 7.5L, AS 18 L PC Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters)	630173000
1		PLEATED FILTER FOR AS 18 L PC, DUST CLASS L Corresponds to dust class L	630172000
18 HEPA PC COMPACT		5 FLEECE FILTER BAGS - 6 L, AS 18 HEPA PC COMPACT Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters) Ideal for use with wood processing machines, such as routers, planer thicknessers, small random orbital sanders and orbital sanders etc. Improved mechanical stability.	630164000
AS 18 H		PLEATED FILTER FOR AS 18 HEPA PC COMPACT HEPA filter with reduction efficiency >99.95%	630213000
		5 FLEECE (M-CLASS) FILTER BAGS - 25/35L, ASR 36-18 BL 25 M SC Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters) Ideal for use with wood processing machines, such as routers, planer thicknesser, small random orbital sanders and orbital sanders etc. Suitable for all all-purpose and special suction units with a maximum container volume of 25/35 I	630343000
ASR 36-18 BL 25 M SC		5 PE (M-CLASS) FILTER BAGS - 25L, ASR 36-18 BL 25 M SC 20 times the volume of paper filter bags No clogging with fine dust (especially quartz dust) Well suited for applications where large amounts of fine dust are generated (e.g. removal of plaster from surfaces, grinding and removal of screed etc.) Meet the requirements for M and H class vacuums Ideal when using machines for processing concrete and masonry, such as: renovation milling machines, renovation grinder, long-neck sanders, wall chasers etc. Clean, simple and fast removal and disposal	630275000
	J	2 FILTER CASSETTES, POLYESTER, DUST CLASS M Corresponds to dust class M Also suitable for absorbing graphite/toner and vacuuming liquids	631934000



WPB 36-18 LTX BL 230 QUICK CORDLESS ANGLE GRINDER



- Second generation of the World's first large angle grinder (Ø 230 mm), with battery pack operation for powerful cutting and grinding independent from the mains power
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- Widest range of application thanks to extremely large cutting depth of 77 mm
- Unique encapsulated Metabo brushless motor with optimum protection from dust provides quick work progress and the highest efficiency
- Deadman's switch for high user safety
- Fast brake system for highest user safety stops the disc within a matter of seconds after switching off
- Rotating main handle: high safety and better handling when cutting
- Metabo VibraTech (MVT) side handle for vibration damping to protect the user's health
- Side handle can be mounted in three positions
- Electronic safety shutdown: reduces kickback if the disc stops unexpectedly for high user safety
- Overload protection, soft start and restart protection



WPB 36-18 LTX BL 230 QUICK Scope of delivery

Guard

Inner support flange Nut with two holes

Metabo VibraTech (MVT) side handle

Flat-pin spanners

Plastic carry case

without battery pack, without charger

Battery options	Order No.
Body only + carry case	613103840

See page 151 for Battery Set options



W 18 L 9-115

- Robust angle grinder with powerful motor and slim design for universal applications
- Electronic safety shutdown: reduces kickback if the disc stops unexpectedly - for high user safety

Battery pack voltage	18 V
Grinding disc Ø	115 mm
No-load speed	8500 rpm
Spindle thread	M 14

W 18 L 9-115 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, metaBOX 165 L, without battery pack, without charger



* See page 151 for Battery Set options



W 18 LT BL 11-125

- Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Service-free Brushless motor with highest efficiency and maximum

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14

Order No. Battery options Body only + metaBOX 165 L 613052840

* See page 151 for Battery Set options



W 18 LT BL 11-125 Scope of delivery

Guard, Inner support flange, Nut with two holes Side handle, Flat-pin spanners, metaBOX 165 L, without battery pack, without charger

W 18 L 9-125 QUICK

- Robust angle grinder with powerful motor and slim design for universal applications
- Metabo Quick for tool-free disc change by means of a Quick-Locking nut

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	8500 rpm
Spindle thread	M 14


W 18 L 9-125 QUICK Scope of delivery

Guard, Inner support flange, Quick-locking nut, Side handle, metaBOX 165 L. without battery pack, without charger

■ Brushless cordless angle grinder of the new generation: as powerful

as a 1,100 Watt mains-powered tool thanks to 40% more power

Service-free Brushless motor with highest efficiency and maximum



* See page 151 for Battery Set options

Battery options

Body only + metaBOX 165 L

* See page 151 for Battery Set options

Full Service price group FS4



Order No.


UK613052841

WB 18 LT BL 11-115 QUICK

- Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Fast brake system for highest user safety: Disc stops within 1second after switching off

Battery pack voltage	18 V
Grinding disc Ø	115 mm
No-load speed	10,000 rpm
Spindle thread	M 14





* See page 151 for Battery Set options



WB 18 LT BL 11-115 QUICK Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger



WB 18 LT BL 11-125 QUICK

- Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Fast brake system for highest user safety: Disc stops within 1second after switching off

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14




	Order No.
Body only + metaBOX 165 L	613054840

* See page 151 for Battery Set options

Full Service price group FS4 BRUSHLESS

WB 18 LT BL 11-125 QUICK Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L without battery pack, without charger



W 18 LT BL 11-115

handiness

W 18 LT BL 11-115 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, metaBOX 165 L, without battery pack, without charger















WPB 18 LT BL 11-125 QUICK

■ Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power

■ Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power

■ Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power

■ Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant

requiring customised speeds, and at speeds which remain constant

■ Variable speed setting with thumbwheel for working on materials

- Paddle switch with dead man function: safe to operate due to an ergonomically integrated switch
- Fast brake system for highest user safety

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14





Battery options

Body only + metaBOX 165 L

* See page 151 for Battery Set options

Full Service price group FS3

WPB 18 LT BL 11-125 QUICK Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 165 L	613056840

Order No.

613059840

* See page 151 for Battery Set options Full Service price group FS3

■ Fast brake system for highest user safety

WVB 18 LT BL 11-115 QUICK

Battery pack voltage	18 V
Grinding disc Ø	115 mm
No-load speed	2800 - 10,000 rpm
Spindle thread	M 14







WVB 18 LT BL 11-115 QUICK Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L. without battery pack, without charger

WVB 18 LT BL 11-125 QUICK




Battery options	Order No.
Body only + metaBOX 165 L	613057840

* See page 151 for Battery Set options

Full Service price group FS4

Fast brake system for highest user safety		
Battery pack voltage	18 V	
Grinding disc Ø	125 mm	
No-load speed	2800 - 10,000 rpm	
Spindle thread	M 14	

East brake system for highest user safety



WVB 18 LT BL 11-125 QUICK Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger

NEW		Britis			
		BR	USHLESS		
	11/68		CAS	QUICK	

WVB 18 LT BL 11-125 QUICK INOX

- Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load
- Perfect processing of stainless steel: powerful angle grinder with high gear reduction and adjustable reduced speed for cool finish
- Fast brake system for highest user safety

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	2,000 - 7,600 rpm
Spindle thread	M 14



WVB 18 LT BL 11-125 QUICK INOX Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, without battery pack, without charger

Battery options Order No. Body only (Cardboard box) 613091850

* See page 151 for Battery Set options



System accessories

	Description	Order No.
	CUTTING GUARD CLIP 115 MM	630351000
	CUTTING GUARD CLIP 125 MM	630352000
Melabo	For working with fibre-reinforced, resin-bonded cutting discs. The cut-off clip guard is simply attached to the existing guard of the angle grinder. EN/EC 60745 Material: plastic. Suitable for Metabo cordless angle grinders: W 18 LTX; made in 2008 onwards	
A	EXTRACTION HOOD CLIP CED 125 CLIP	630401000
netudo	Extraction guard clip for angle grinders with Ø 125 mm for low-dust dry cuts up to 30 mm in mineral materials. Connection for dust extraction Ø 35/ 41 mm Suitable for Metabo W 18 LTX 125; WB 18 LTX BL 125; WP 18 LTX 125; WPB 18 LTX BL 125 (made in 2008 onwards)	
	CUTTING DUST EXTRACTION SHROUD CED 125	626730000
	Extraction shroud with plunge function and optimised flow channel for particularly low-dust cutting both indoors and outdoors. Connection for dust extraction Ø 35/41 mm Max. cutting depth for freehand cuts is 27 mm, with table 25 mm. Suitable for Metabo W18 LT 11 Scope of delivery incl. nut with two holes 5/8" and M14.	
•	CUTTING DUST EXTRACTION SHROUD CED 125 PLUS	626731000
	Extraction shroud with plunge function and optimised flow channel for particularly low-dust cutting both indoors and outdoors. Cutting depth can be adjusted without tools. Max. cutting depth for freehand cuts is 27 mm, with table 25 mm, with precision guide rail 20 mm. Suitable for Metabo W18 LT 11 Scope of delivery incl. nut with two holes 5/8" and M14.	
	GRINDING DUST EXTRACTION SHROUD GED 125	626732000
10	Quick, tool-free installation of the extraction shroud on a compatible angle grinder. Integrated sliding segment for quick, tool-free access even when wearing gloves, for working close to walls. Extraction hood with flexible brush rim and optimised extraction channel for particularly low-dust in surface preparation. Suitable for Metabo W18 LT 11	

WF 18 LTX 125 QUICK FLAT HEAD ANGLE GRINDER

- Extremely flat gear head permits working within acute angles down to 43°
- Compact design for quick removal of welding slag, rust or paint in tight places e.g. frame constructions
- Low-fatigue working even on weld seams in difficult to access places thanks to slim handle
- Robust motor for long service life
- Metabo Quick for tool-free disc change by means of a quick-locking nut
- Tool-free adjustable guard; twist-proof
- Battery pack can be swivelled for better working in hard to reach places
- Detachable dust filter protects motor from coarse particles



Battery pack voltage	18 V	
Minimum accessible angle	43°	
Grinding disc Ø	125 mm	
No-load speed	8000 rpm	
Spindle thread	M 14	
		A3° SOLOCK


WF 18 LTX 125 QUICK Scope of delivery

5 Flap discs Flexiamant Super Convex (125mm; P60) Guard Inner support flange Quick-locking nut Side handle Dust protection filter

metaBOX 165 L without battery pack, without charger



	Order No.
Body only + metaBOX 165 L	601306840



With patented gear design: the Metabo flat-head angle grinder



CC 18 LTX BL **18V CORDLESS ANGLE GRINDER**

- Very handy tool with maximum working comfort for many applications
- Always the right accessories: large selection of discs to process metal, wood, stone, tiles and plastic.
- Powerfull brushless motor for quick work progress and highest efficiency
- Overload protection: protects the motor from overheating
- Restart protection; prevents unintentional start-up after battery pack change

Battery pack voltage	18 V
Grinding wheel Ø	76 mm
No load speed	20,000 / min
Spindle thread	M5
Weight (without battery pack)	0.64 kg

CC 18 LTX BL Scope of delivery

Clip for cut-off guard, 2 Cutting discs Flexiarapid Super Inox 2 Cutting discs Flexiarapid Super Universal, Cutting and grinding disc Combinator Inox, Allen key, metaBOX 165 L, without battery pack, without charger

Full Service price group FS2



E	RUSHLESS		
The state of the s			
x, \		Order No.	

Body only + metaBOX 165 L * See page 151 for Battery Set options

Always the right accessories.

For processing metal, stainless steel, wood, stone, tiles and plastic.

Starter Set

76 x 1.0 x 10 mm, Inox

Order no. 626870000

76 x 10 mm, TP

Order no. 626874000

Cutting disc "Flexiarapid Super" Inox Cutting and grinding disc "Combinator" Inox Diamond Cutting Disc "professional" - UP Order no. 626879000

5x Cutting disc "Flexiarapid Super" Inox

Especially for processing stainless steel

1x Diamond cutting disc "professional", TP

For all types of tiles, fine stoneware



3x Cutting and grinding disc "Combinator" Inox For quick cutting and easy

deburring/sanding 76 x 2.5 x 10 mm, Inox Order no. 626872000



600349840

5x Cutting disc "Flexiarapid Super" universal Universal use

76 x 1.0 x 10 mm Order no. 626871000



1x Diamond cutting disc "professional", UP

For universal use 76 x 1.2/2.2 x 10 mm, UP Order no. 626873000



1x Flap disc "ZK Flexiamant"

For rough and intermediate grinding in the entire metal sector 76 mm, P60, F-ZK Order no. 626875000



1x Flap disc "ZK Flexiamant"

For rough and intermediate grinding in the entire metal sector 76 mm, P80, F-ZK Order no. 626876000





NIV 18 LTX BL 1.6 CORDLESS NIBBLERS

- Handy, powerful cordless nibblers for effortless cutting of flat and shaped sheets
- Good cornering ability for notches and interior cut-outs of a radius of 40 mm or more
- Fast, tool-free adjustment of cutting direction by up to 360°, in 45° steps
- High feed rate for faster working, thanks to an efficient brushless motor
- Infinitely adjustable cutting speed for individual customisation to the given material and task at hand

meta BOX

Battery pack voltage	18 V
Max. sheet thickness for steel: 400 N/mm²	1.6 mm
Strokes in idle	660 - 2360 rpm
Cutting speed	1.2 - 2.6 m/min

NIV 18 LTX BL 1.6 Scope of delivery

Punch, Die, Chip Collection Bag, Combo-spanner, metaBOX 145, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	601614840

^{*} See page 151 for Battery Set options

Full Service price group FS4



Die for NIV18 LTX BL 1.6

Order No. 630247000

SCV 18 LTX BL 1.6 CORDLESS METAL SHEARS

- Very handy and manoeuvrable cordless sheet-metal shears for burr-free cutting of sheet metal on site
- Maximum cornering ability, for comfortable cutting of narrow radii from 15 mm
- Faster working, thanks to the efficient brushless motor
- Infinitely adjustable cutting speed for individual customisation to the given material and task at hand
- Comfortable handling thanks to low weight, slim grip area and switch located on the top

Battery pack voltage	18 V
Max. sheet thickness for steel: 400 N/mm ²	1.6 mm
Strokes in idle	1.350 - 4.840 rpm
Cutting speed	7 m/min

SCV 18 LTX BL 1.6 Scope of delivery

2 reversible blades, Feeler gauge, 2 Hexagonal wrenches, metaBOX 145, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	601615840

^{*} See page 151 for Battery Set options

Full Service price group FS4









113

2 Reversible blades for Steel up to 800N/mm² Order No. 630241000

GA 18 LTX CORDLESS DIE GRINDER

■ Spindle lock for simple change of tools

■ Electronic safety shutdown of the motor if the tool jams for safe working

Precision collet for precise concentricity

For use with burrs and points

Battery pack voltage	18 V
No-load speed	25000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm

GA 18 LTX Scope of delivery

Collet 6 mm, Protective rubber cap Dust protection filter, Open-jawed spanner metaBOX 145 L without battery pack, without charger





Full Service price group FS4 * See page 151 for Battery Set options

GPA 18 LTX CORDLESS DIE GRINDER

- Spindle lock for simple change of tools
- Paddle switch with dead man function: Safe to operate due to an ergonomically integrated non-slip switch
- Electronic safety shutdown of the motor if the tool jams for safe working
- Precision collet for precise concentricity
- For use with burrs and points

Battery pack voltage	18 V
No-load speed	25000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm

GPA 18 LTX Scope of delivery

Collet 6 mm, Protective rubber cap. Dust protection filter, Open-jawed spanner, without battery pack, without charger













Body only (Cardboard box) 600621890

Full Service price group FS4 * See page 151 for Battery Set options

GA 18 LTX G CORDLESS DIE GRINDER

- High torque and compact design thanks to robust planetary gear
- Spindle lock for simple change of tools
- Restart protection: prevents unintentional start-up after power supply interruption
- Overload protection: protects the motor from overheating
- For use with sanding accessories

Battery pack voltage	18 V
No-load speed	6000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm

GA 18 LTX G Scope of delivery

Collet 6 mm, Protective rubber cap, Side handle Dust protection filter, Open-jawed spanner without battery pack, without charger





Full Service price group FS4 * See page 151 for Battery Set options



- Light and powerful cordless compressor with brushless motor for use in interior development and on construction sites
- Oil-free piston compressor: simple transportation and reduced service requirements
- Instrument panel with easy to read manometers for tank and working pressure
- 10 year tank warranty against rust

Battery options	Order No.
Body only	601521850

^{*} See page 151 for Battery Set options

Suction Rate	120 l/min (4.2 cfm)
Filling capacity	60 l/min (2.1 cfm)
Rated input power	700 W
Effective delivery volume (at 80% max. pressure)	45 l/min (1.6 cfm)
Maximum pressure	8 bar / 116 psi
Tank capacity	51
Weight (inc. battery pack)	9.1 kg

BRUSHLESS

Manometers

For tank & working pressure

Protected operator panel:

manometers, coupling and regulator are protected against damage by the pipe frame









Rubber suction feet:

- Prevents movement during operation
- Prevents marking of work surface

Fast refilling: of tank thanks to 700 W input power

Extra battery storage:

spare battery pack can be stored at the compressor

More efficiency:

the brushless motor offers great performance with low energy consumption for longer runtime

Easy transportation:

thanks to low weight of 8,5 kg (with battery 9,4 kg) and compact size

NP 18 LTX BL 5.0 CORDLESS BLIND RIVET GUN

- Cordless rivet gun for extremely fast riveting, comparable to compressed air devices
- 100% compatible with all Metabo 18 Volt battery packs
- Long service life thanks to brushless motor and robust precision gearbox
- With holding nozzles for one-hand operation inserted rivet holds in any position
- Transparent collecting container for simple emptying of the remaining rivet mandrels
- Quick change of nozzle for different rivet diameters, via integrated tool
- Safety in the workplace thanks to robust knuckle guards
- LED light for optimum illumination when riveting; can be switched off for reflective surfaces
- Ergonomic design for comfortable working also in corners
- Robust eyelet for energy-saving work with balancer / spring tension
- Handy belt hook, can be fixed either on the right or left side
- Battery packs with capacity display for checking the charge status
- Ultra-M technology for highest performance, gentle efficient charging, optimum energy utilisation and long service life

Battery pack voltage	18 V
Rivet Ø all materials	2.4 - 5 mm
Max. rivet Ø all aluminium	6 mm
Placement force	10000 N
Weight (inc. battery pack)	2.2 kg



Battery options	Order No.
Body only + metaBOX 145 L	619002840

^{*} See page 151 for Battery Set options



NP 18 LTX BL 5.0 Scope of delivery

4 retaining nozzles, 4 Standard mouthpieces, Belt hook, metaBOX 145 L, without battery pack, without charger



Full Service price group FS4



NMP 18 LTX BL M10 CORDLESS BLIND RIVET NUT GUN



- Cordless rivet nut gun with setting power adjustment for blind rivet nuts up to M10 in aluminium, M8 in steel,
 M6 in stainless steel
- Versatile use thanks to mandrel quick change system
- Automatic drill-on of the blind rivet before setting
- Time-saving auto-reverse function: Pull mechanism returns to starting position after setting and nut is drilled off the mandrel
- Easy presetting of the placement force on the LED display for working that is gentle on the material and threads

Battery pack voltage	18 V
Max. blind rivet nuts in aluminium	M10
Max. blind rivet nuts in steel	M8
Max. blind rivet nuts in stainless steel	M6

NMP 18 LTX BL M10 Scope of delivery

Mandrels M4, M5 and M6, Mouthpieces M4, M5 and M6, Placement force information card, Hexagonal wrench, Open-end wrench, metaBOX 145 M, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 M	601788840

^{*} See page 151 for Battery Set options





BE 18 LTX 6 CORDLESS DRILL

- Fast and handy cordless drill with high precision for drilling into metal
- Collar (Ø 43 mm) for versatile use
- Integrated working light to illuminate the contact area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability
- Overload protection: protects the motor from overheating

Battery pack voltage	18 V	
Maximum torque	4 Nm	
Drill Ø steel	6 mm	
Drill Ø soft wood	12 mm	
No-load speed	0 - 4000 / min	
Chuck capacity	1 - 10 mm	
BE 18 LTX 6 Scope of delivery		

metaBOX 145 L, without batteries, without charger

Battery options	Order No.
Body only + metaBOX 145 L	600261840



GB 18 LTX BL Q I CORDLESS TAPPER

- High-grade cordless drill/screwdriver with unique, patented thread-tapping function
- Quick and interruption-free cutting and cleaning of threads thanks to automatic change of direction of rotation
- Two quick-change tapping chuck for inserting taps with square and cylindrical shanks
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety

Battery pack voltage	18 V
Maximum torque - soft / hard	65 Nm / 130 Nm
Thread diameter	M4 - M12
Drill Ø steel / soft wood	13 mm / 68 mm

GB 18 LTX BI Q I Scope of delivery

Quick-change tapping chuck M4-M6 Quick-change tapping chuck M8-M12 Side handle Belt hook and bit case metaBOX 145 L

Battery options	Order No.
Body only + metaBOX 145 L	602362840

* See page 151 for Battery Set options

Full Service price group FS4













119



HL 18 BL CORDLESS FAN HEATER



- Ideal for heating building shells and other well ventilated interior rooms as well as protected outdoor areas without power source such as building site, warehouse, workshop, tent
- Thumbwheel for stepless adjustment of the gas supply and thus the heating output up to max. 28 kW
- Stable, double-walled housing made from high-quality stainless steel
- Comfortable carry handle for mobile use
- Practical winding mechanism and holder for the gas hose
- Can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-system.com



^{*} See page 151 for Battery Set options

Full Service price group FS2

HL 18 BL Scope of delivery

Hose with gas pressure reducer, Universal adapter, without battery pack, without charger



BSA 18 LED 4000 CORDLESS SITE LIGHT

- Compact cordless site light with 4000 lumens for extensive and even working light with reduced shadowing
- Integrated magnets for fast fixing on metal surfaces
- Handle and light, compact design for quick change of position and for on the go
- Practical suspension possibilities on lamp base and housing recess
- Lamp head can be turned 270° providing almost infinite positions for the lamp
- Stepless dimmer function for optimal light with maximum battery run time
- USB port for charging and operating USB devices (max. charging current 1 A)

Max. luminous flux	4,000 lm
Max. operation time per battery charge	18V / 4.0 Ah LiHD: 2.3 h (approx. 35 minutes per Ah at max. light output) 18V / 10.0 Ah LiHD: 6.5 h (approx. 35 minutes per Ah at max. light output)
Weight (inc. battery pack)	2.5 kg

Battery options	Order No.
Body only	601505850

^{*} See page 151 for Battery Set options







Full Service price group FS1

BSA 12-18 LED 2000 CORDLESS SITE LIGHT

- Compact cordless site light with COB-LED for a targeted, true colour illumination, ideal in tight spaces
- Integrated magnets for fast fixing on metal surfaces
- Swivelling hook for suspending the lamp
- Operation with all Li-Power and LiHD slide-on 12 and 18 Volt battery packs
- Lamp head can be turned through 360° providing almost infinite positions for the lamp

Max. luminous flux	2,000 lm
Max. operation time per battery charge	12 V / 4.0 Ah LiHD: 2.7 h (approx. 41 minutes per Ah at max light output) 18 V /4.0 Ah LiHD: 5 h (approx. 65 minutes per Ah at max. light output)
Weight (inc. battery pack)	2.2 kg

Battery options	Order No.
Body only	601504850

^{*} See page 151 for Battery Set options





BSA 18 LED 10000 CORDLESS SITE LIGHT

- Compact cordless site light with 10,000 lumens for extensive and even working light with reduced shadowing
- Cordless and mains operation possible for continuous operation in the working environment (mains cable can be removed)
- Clearly visible display of the remaining battery runtime, a flashing light warns before the end of the runtime
 to avoid dangerous situations in the dark
- Prepared for tripods use (5/8" thread)
- Protected from dust and splash-proof for demanding building site use (IP 54)
- USB port for charging and operating USB devices (max. charging current 1 A)

Max. luminous flux	10.000 lm
Wax. rammous nax	10,000 1111
Max. operation time per battery charge	12 V / 4.0 Ah LiHD: 1 h (approx. 15 minutes per Ah at max light output)
LED USB	18 V / 10.0 Ah LiHD: 2.5 h (approx. 15 minutes per Ah at max. light output)
Weight (inc. battery pack)	5.1 kg

Battery options	Order No.
Body only + mains cable (3 m)	601506380

^{*} See page 151 for Battery Set options











122

ULA 14.4-18 LED CORDLESS LAMP

- Powerful LED portable lamp for uniform, bright illumination of the working area
- Compact and handy for versatile use
- Lamp head can be tilted and locked in 12 positions
- Robust aluminium die-cast housing for use on construction sites
- Operation with all Li-Power and LiHD slide-on 18 Volt battery packs
- Swivelling hook for suspending the lamp

			ä
Max. luminous flux	280 lm		
Max. operation time per battery charge	18 V / 2.0 Ah: 18 V / 4.0 Ah: 18 V / 5.2 Ah: 18 V / LiHD 3. 18 V / LiHD 5.	12.7h 16.5h 1: 10h 5: 17.6h	市アー
Weight (inc. battery pack)	0.39 kg		
			ď,
Battery options	Order No.		ď
Body only	600368000		

^{*} See page 151 for Battery Set options

Full Service price group FS1



SLA 14.4-18 LED CORDLESS LAMP

- Powerful LED inspection lamp for uniform, bright illumination of the working area
- Compact and handy for versatile use
- Lamp head can be turned and swivelled through 180° providing almost infinite positions for the lamp
- Robust aluminium die-cast housing for use on construction sites
- Operation with all Li-Power and LiHD slide-on 18 Volt battery packs
- Swivelling hook for suspending the lamp

Max. luminous flux	440 lm
Max. operation time per battery charge	18 V / 2.0 Ah: 4.5h 18 V / 4.0 Ah: 9.1h 18 V / 5.2 Ah: 11.8h 18 V / LiHD 3.1: 7h 18 V / LiHD 5.5: 12.4h 18 V / LiHD 8.0: 18h
Weight (inc. battery pack)	0.46 kg

Battery options	Order No.
Body only	600370000

* See page 151 for Battery Set options

Full Service price group FS1



KB 18 BL CORDLESS COOLING BOX WITH HEATING FUNCTION

○ ENERG[†]

71 kWh/annum

- Cordless cooling box for active cooling or keeping warm, independent from the mains always and everywhere
- Three to choose from: Operation with 18 Volt battery packs from Metabo or CAS partners, mains cable or 12V car cable

melabo

- Powerful Brushless motor with optional EcoMode for even longer runtime in battery operation
- With insertable separating grid for order in the box
- Safe locking of the lid by swivelling the handle forwards
- Practical bottle opener at the left corner of the box
- Integrated storage for the two supplied connection cables

Cordless cooling box

with heating function

■ Stackable on any new metaBOX

You Metabo Uk

Battery pack voltage	18 V
Max. cooling output in ambient temperature	17 °C
Max. temp keeping warm	60 °C
Volume	24
Weight with battery pack	5.9 kg

KB 18 BL Scope of delivery

Without charger, without batteries

Batt	Battery options	Order No.
	Body only	600791380

* See page 151 for Battery Set options

Full Service price group FS4





BRUSHLESS





R 12-18 DAB+ BT CORDLESS WORKSITE RADIO

Digital DAB+ Bluetooth

■ Robust worksite radio with digital DAB+ reception, top sound quality and many additional functions

With Bluetooth for wireless music enjoyment from your smart phone or tablet

■ Operation with all Metabo slide-on battery packs from 12 to 18 volts or mains-powered

Station presets for AM/FM

Mains cable can be plugged in

■ Digital DSP tuner with illuminated LCD display and automatic station search

■ Flexible antenna

Radio frequency AM	522 - 1.620 kHz
Radio frequency FM	87.5 - 108 MHz
Weight (without battery pack)	1.85 kg

R 12-18 DAB+ BT Scope of delivery

Mains cable, without batteries, without charger

Battery options	Order No.
Body only	600778380

* See page 151 for Battery Set options

Full Service price group FS1











AG 18 CORDLESS BLOWER

- Lightweight cordless blower e.g. for blowing off chips from workpieces, workplace, transporter etc.
- Good ergonomics provided by a rubberised handle and an optimum centre of gravity
- Robust design suitable for applications in the workshop and on the construction site
- Vario (V)-Electronics for continuously selectable blowing air velocity rate
- Thumbwheel for preselection of 3 air velocity rate settings for varied output
- Rubberised end piece of the blow tube to protect delicate surfaces



AV 18 CORDLESS FAN

- High-quality cordless fan for flexible use, independent from mains power
- Battery pack operating time of up to 7 hours (at 5.2 Ah)
- Robust metal cage for maximum air throughput with minimum turbulence
- Adjustable tilting cage for flexible direction of air flow
- Air speed selectable via 3 levels
- Quiet operation even with highest level setting
- Stable tubular frame with rubber feet for safe positioning
- Prepared integrated mounting plate for mounting on a tripod or to the wall
- Operation with all Li-Power and LiHD slide-on 18 Volt battery packs

Air velocity	1.8 / 2.8 / 3.8 m/s // 4.02 / 6.26 / 8.5 mph
Maximum speed	1300 rpm
Rotor diameter	355 mm / 14"
Weight (inc. battery pack)	4.55 kg

Battery options	Order No.
Body only	606176850


^{*} See page 151 for Battery Set options

Full Service price group FS1





126







SGS 18 LTX Q CORDLESS GRASS/SHRUB SHEARS

- 1 machine 2 applications
- Shrub shears for precise form cuts on shrubs and bushes
- Grass shears for clean lawn edges
- Tool-free disc change of the two blade attachments thank to Metabo Quick system
- Lightweight machine with maximum quiet running

Battery pack voltage	18 V
Number of cuts	2,300 /min
With shrub blade	
Cutting length / thickness	20 cm / 8 mm
With grass blade	
Cutting width	11.5 cm
Weight (excl. battery pack)	0.8 kg

SGS 18 LTX Q Scope of delivery

Grass blade, Shrub blade, without battery pack, without charger, metaBOX 145 L

Battery options	Order No.
Body only + Accessories	601609840

^{*} See page 151 for Battery Set options





130



LB 18 LTX BL CORDLESS LEAF BLOWER

- Powerful, quiet cordless blower for fast removal of leaves and dirt from squares and paths
- Strong brushless motor for high performance and long runtime per battery pack charge
- Precise dosing of the blowing power thanks to steplessly adjustable air velocity

metabo

- Constant blowing force in continuous mode thanks to steplessly lockable speed control trigger
- Slim, well-balanced lightweight construction with rubberised grip area for low-fatigue working close to the body

18 V
650 m³/h
0 - 20.300 rpm
2,5 kg

BRUSHLESS



LB 18 LTX BL Scope of delivery

Blowing tube, Shoulder strap, without battery pack, without charger

metabo

Body only 601	607850

^{*} See page 151 for Battery Set options

Accessories Shoulder strap Order no. 628427000

Full Service price group FS2

With the cordless leaf blower, not only leaves can be removed without any problems, but also dirt and rubbish on the construction site.



FSB 36-18 LTX BL 40 CORDLESS TRIMMER (BIKE-HANDLE) FSD 36-18 LTX BL 40 CORDLESS TRIMMER (D-HANDLE)

- Comfortable and easy working
- Strong brushless motor for high performance and long runtime per battery pack charge
- Flexible working thanks to stepless speed control
- Thread change quick and without tools
- Easy readjustment of the thread by means of short tapping of the spool head while working



Loop handle, Shoulder strap, Guard Twin line spool (line Ø 2 mm, 4 m), Combo-spanner without battery pack, without charger



RTD 18 LTX BL 30 CORDLESS GRASS TRIMMER




- Light and compact cordless lawn trimmer for mowing, trimming and cultivation work
- Easy transport and space-saving storage thanks to two-piece shaft with quick coupling
- Easy readjustment of the line by means of short tapping of the spool head while working
- Metabo quick thread change: fast and without tools, without removing or opening the spool
- Powerful brushless motor for high cutting performance and long runtime per battery pack charge
- Stepless speed control for flexible working
- Folding safety bar as spacer to trees, shrubs or other obstacles
- I Safe working thanks to rubberised grip areas and additional safety switch
- Durable and robust thanks to metal motor housing and impact protection for the battery pack

	1 x 18 V		
Handle type	Loop handle	BRUSHLESS	
Cutting diameter	30 cm		
Thread diameter	2 mm	CAS	
No-load speed	0-6,500 / min		All I
Weight (excl. battery pack)	3,4 kg	4	3
		Secretary of the second	
Quick thread change Metabo quick thread change: fas tools, without removing or open	ing the spool.	RTD 18 LTX BL 30 Scope of a	delivery
Metabo quick thread change: fas tools, without removing or open		RTD 18 LTX BL 30 Scope of o Loop handle, Shoulder strap, Gua (line Ø 2 mm, 4 m), Allen key, Phi without battery pack, without cha	ard, Twin line sp illips screwdrive
Metabo quick thread change: fas tools, without removing or open	ing the spool.	Loop handle, Shoulder strap, Gua (line Ø 2 mm, 4 m), Allen key, Phi	ard, Twin line sp illips screwdrive

Full Service price group FS2

* See page 151 for Battery Set options



AHS 18-55V CORDLESS HEDGE TRIMMER

- Blades with special geometry generate less wear and thus deliver 200% longer service life
- Clean cut thanks to diamond-ground blade teeth on both sides at a 30° angle
- Lower safety blade for high safety at work
- Top cutting performance generated by double reduction gearing
- Safety features include electronic quick stop of the blade (in 0.3 seconds)
- Trigger guard with twig feed protects user and gear from kickbacks
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

Battery pack voltage / type	18 V / LiHD / Li-ion
Runtime per battery charge	70 min
Cutting thickness / length	18 mm / 53 cm
No of strokes (No Load)	2700 spm

AHS 18-55V Scope of delivery

Blade protection cover, without battery pack, without charger



Battery options	Order No.
Body only	600463850



Full Service price group FS4



- Light, powerful cordless hedge trimmer with low running noise for noise-sentitive areas
- Blades with special geometry generate less wear and thus deliver 200% longer service life
- Clean cut thanks to diamond-ground blade teeth on both sides at a30° angle
- Lower safety blade for high safety at work
- Top cutting performance generated by double reduction gearing
- Pleasant to work with thanks to low-vibration run, perfect ergonomics and soft-grip handle
- Safety features include electronic quick stop of the blade (in 0.3 seconds)
- Trigger guard with twig feed protects user and gear from kickbacks
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

Battery pack voltage / type	18 V / LiHD / Li-ion
Cutting thickness / length	18 mm / 63 cm
No of strokes (No Load)	2700 spm

AHS 18-65V Scope of delivery

Blade protection cover. without battery pack, without charger













HS 18 LTX 55 CORDLESS HEDGE TRIMMER



- Extremely light and quiet cordless hedge trimmer for effortless trimming of hedges and shrubs
- Clean cuts thanks to laser-cut, diamond-ground blades
- High cutting output thanks to special drop shape of the blade teeth: No escaping of the twigs while cutting
- Trigger guard protects user and gearing when working near walls and the ground
- Comfortable two-hand operation in any situation thanks to long trigger button with inside bow-type handle switch
- High user safety thanks to additional safety switch and blade quick stop (in 0.08 seconds)
- Comfortable working thanks to perfect balance, low-vibration operation and softgrip handle

Battery pack voltage / type	18 V / LiHD / Li-ion		
Runtime per battery charge	70 min		
Cutting thickness / length	18 mm / 53 cm		
No of strokes (No Load)	2700 spm		1115
HS 18 LTX 55 Scope of de Blade protection cover, without battery pack, without			C45
	and the same of th	Battery options	Order No.
		Body only	601718850

Full Service price group FS4

* See page 151 for Battery Set options

HS 18 LTX 65 CORDLESS HEDGE TRIMMER



- Extremely light and quiet cordless hedge trimmer for effortless trimming of hedges and shrubs
- Clean cuts thanks to laser-cut, diamond-ground blades
- High cutting output thanks to special drop shape of the blade teeth: No escaping of the twigs while cutting
- Trigger guard protects user and gearing when working near walls and the ground
- Comfortable two-hand operation in any situation thanks to long trigger button with inside bow-type handle switch
- High user safety thanks to additional safety switch and blade quick stop (in 0.08 seconds)
- Comfortable working thanks to perfect balance, low-vibration operation and softgrip handle



* See page 151 for Battery Set options



RM 36-18 LTX BL 46 CORDLESS LAWN MOWER

- 3 in 1: Mowing, Collecting. Mulching.
- Ideal for areas up to 800 m²
- High cutting performance and long runtime per battery pack charge
- Maximum runtime thanks to automatic adjustment of the motor power depending on the grass height
- Easy cutting height setting in 7 stages
- Robust with long service life thanks to metal cover and high-quality mower blade





RM 36-18 LTX BL 36 CORDLESS LAWN MOWER



- Compact, mobile cordless lawn mower for mowing and mulching near edges of plots up to 350 m2
- Mowed material is either collected in the flexible collection bag or mulched immediately to remain on the green area
- Powerful brushless motor for high cutting performance and long runtime per battery pack charge
- Central, easy-to-operate cutting height setting in 5 stages
- Clean cut near edges thanks to high-quality mower blade and integrated lawn combs
- Collection bag with fill level window





RSG 18 LTX 15 CORDLESS BACK-PACK SPRAYER

- Constant spray pattern, ideal for the even spraying of plant strengthening and pesticides
- High spray volume per battery charge
- High wearing comfort, through ergonomic tank shape and padded shoulder straps with click closure
- Stepless working pressure adjustment
- Precise and application-oriented
- Dosage of the spray quantity
- 4 hours runtime per battery pack (Li-ion 2.0 Ah at 1.5 bar)



RSG 18 LTX 15 Scope of delivery

Manual valve, Hose line, Spray pipe Regulating nozzle (1.7 mm), without battery pack, without charger

Battery options	Order No.
Body only	602038850

^{*} See page 151 for Battery Set options





Battery pack runtimes at a glance

		Battery pack							
		Li-Power				LiHD			
Application	Machine	Accessories	2.0 Ah	4.0 Ah	5.2 Ah	4.0 Ah	5.5 Ah	8.0 Ah	10.0 Ah
Cutting hedges	Hedge trimmers / shrub shears								
Trimming cut / easy application	SGS 18 LTX Q	Shrub blade	165 min	330 min	430 min	330 min	455 min	660 min	825 min
The state of the s	AHS 18-55 V / AHS 18-65 V		33 min	65 min	85 min	65 min	89 min	130 min	163 min
	HS LTX 55 / HS 18 LTX 65		48 min	96 min	125 min	96 min	132 min	192 min	240 min
Pruning / difficult application	AHS 18-55 V / AHS 18-65 V		18 min	35 min	46 min	35 min	48 min	70 min	88 min
	HS LTX 55 / HS 18 LTX 65		17 min	34 min	44 min	34 min	47 min	68 min	85 min
Leaves / removing dirt	Leaf blower								
	LB 18 LTX BL		7 min	14 min	18 min	14 min	19 min	28 min	35 min
Spraying	Backpack sprayer								
Spraying with operating pressure 1.5 bar			4 h	8 h	10.5 h	8 h	11 h	16 h	20 h
Mowing	Lawn mower								
Low grass / easy application	RM 36-18 LTX BL 36		27 min	54 min	70 min	54 min	74 min	108 min	135 min
	RM 36-18 LTX BL 46		23 min	45 min	59 min	45 min	62 min	90 min	113 min

Battery pack runtimes at a glance

			Battery pack						
				Li-Power			Li	HD	
Application	Machine	Accessories	2.0 Ah	4.0 Ah	5.2 Ah	4.0 Ah	5.5 Ah	8.0 Ah	10.0 Ah
Mowing	Lawn mower								_
High grass / difficult application	RM 36-18 LTX BL 36		8 min	16 min	21 min	16 min	22 min	32 min	40 min
	RM 36-18 LTX BL 46		9 min	18 min	23 min	18 min	25 min	36 min	45 min
Mowing, trimming and pruning jobs	Shrub-grass shears								
Cutting of lawn edges	SGS 18 LTX Q	Grass blade, telescopic handle	150 min	300 min	390 min	300 min	415 min	600 min	750 min
等于美国工作的基本	Grass trimmer / brush cutter								
	RTD 18 LTX BL 30		20 min	40 min	52 min	40 min	55 min	80 min	100 min
Trimming / Pruning (grass / weeds)	IND TO LIX BE 30		10 min	20 min	26 min	20 min	28 min	40 min	50 min
	FSD 36-18 LTX BL 40 / FSB 36-18 LTX BL 40	Double thread spool	24 min	47 min	61 min	47 min	65 min	94 min	118 min
Mowing (high grass / meadow)									
	FSD 36-18 LTX BL 40 / FSB 36-18 LTX BL 40	Double thread spool / grass blade	9 min / 12 min	18 min / 25 min	23 min / 32 min	18 min / 25 min	25 min / 34 min	36 min / 49 min	45 min / 62 min
Pruning / landscaping (woody material < 20 mm thick)									
	FSD 36-18 LTX BL 40 / FSB 36-18 LTX BL 40	Brush cutter	16 min	32 min	41 min	32 min	43 min	63 min	79 min

18V BATTERY PACKS

A decision for the future: The Metabo battery pack system

The correct choice of the battery pack system is a decision with long-term effect. The battery pack systems of different manufacturers are not compatible with each other, and who does not want to carry around an entire collection of battery packs and chargers, should rather decide for a uniform battery pack system right from the beginning. Therefore, so many professionals with high and very high demands for their tools trust in Metabo. We produce any relevant power tool, where it is technically sensible and feasible, also as cordless variant - powerful, innovative and in top quality.

Our vision - your ultimate independence thanks to innovative battery pack system

As leader in battery pack technology, Metabo consequently follows the vision of a cordless construction site to make you even more independent and mobile in your work. When deciding for our cordless interface, you are ideally equipped for the challenges of the future. With our innovations we are continuously setting new standards in the battery pack area.

They ensure limitless compatibility: The Metabo cordless systems

With our 100% compatibility within the battery pack system, you are always on the safe side - today and in the future! Since 2009, all Metabo battery packs, machines and chargers in a volt class can be flexibly combined with each other. This is possible by our powerful Metabo Ultra-M technology. It stands for the optimal coordination and perfect communication between machine, battery pack and charger. Like this, battery packs are charged in an efficient and gentle manner and are quickly ready to be used again thanks to patented AIR COOLED technology. When working, the energy is optimally used. At the same time our battery packs are particularly durable, and come with a 3 year warranty as standard.

Battery type	Ah	Order No.
Li-ion CAS	2.0	625026000
Li-ion CAS	4.0	625027000
Li-ion	5.2	625028000
Li HD cas	4.0	625367000
LiHD C45	5.5	625368000
Li HD	8.0	625369000

	Battery type	Ah	Order No.
	LIHD	10.0	625549000
10;	CAS	•	







Tip: Calculate charging times. Take the battery voltage x battery Ah = watt hour then divide by charger watt hour x 60 i.e. 18V x 8.0Ah / 145 x 60 = 59.58 mins (1 hr)

Basic Set	Ah	Order No.
2 x 18 V Li-ion Charger ASC 55	4.0	685050380
2 x 18 V Li-ion Charger ASC 55	5.2	685051380

	Basic Set	Ah	Order No.
*	2 x 18 V LiHD Charger ASC 55	4.0	685163380
**	3 x 18 V LiHD Charger ASC 55	4.0	685132380
	2 x 18 V LiHD Charger ASC 145	5.5	685122380
	2 x 18 V LiHD Charger ASC 145 metaBOX 145	8.0	685131000
	4 x 18 V LiHD 1 x Charger ASC 145 DUO MetaLoc	8.0	685135000
	2 x 18 V LiHD Charger ASC 145 metaBOX 215	10.0	685142000
	4 x 18 V LiHD Charger ASC 145 DUO metaBOX 215	10.0	685143000

151

Class 9 goods product: This product is not suitable for air freight as delivered

Class 9 goods product: This product is not suitable for air freight as delivered



Notes	Notes



- On-line registration required for extended warranty to take effect.
- Class 9 dangerous goods and are not suitable for air freight as delivered. Should you need to arrange collection of faulty goods please contact Metabo UK Ltd for details.

The Metabo 3-year tool warranty

At Metabo we design our power tools for a long service life, but to give you additional piece of mind for your investment we offer the XXL warranty. After registration, your normal warranty is simply extended to 3 years from the date of purchase.

What is the XXL warranty?

The XXL warranty extends Metabo's normal one year power tool warranty to three years, and is acquired free of charge by registering online at www.metabo.com/xxl. The warranty is available only for tools purchased from April 1, 2004.

What is covered by the XXL warranty?

The XXL warranty covers defects in materials and workmanship. Simply return the tool to your point of sale or your nearest Metabo Repair Centre. See Metabo's warranty statement for full details.

Will all machines purchased come with the XXL warranty?

The XXL warranty is an extension that you receive free of cost only after online registration provided you purchased your machine anytime from April 1, 2004 onwards.

How does the registration work?

On our hompage, complete the XXL warranty form and print out the receipt and you will receive a confirmation via Email. Then, should you make a warrantyy claim, send this receipt along with the original sales receipt and the faulty machine to your point of sale or warranty agent.

Am I entitled to a warranty claim without an online receipt?

Yes, you are entitled to the normal one year warranty period. The online receipt is meant exclusively for extension of the warranty period to the XXL warranty (three years). If your tool is not registered, the normal one year warranty applies.

How can I register if I have no internet connection?

You can register your machine at www.metabo.com/xxl from any place with access to internet. On purchasing a new machine, your dealer can also register your machine online immediately, as long as the dealer has an internet connection.

How soon after the purchase date must I complete the registration?

The machine must be registered with four weeks after the purchase date. For more information, visit the Metabo XXL web site: www.metabo.com/xxl

3-year battery and charger warranty



Metabo 18V Lithium-Ion and LiHD battery packs and chargers are warranted to the original purchaser for 3 years from the date of purchase against defects in materials and workmanship.

If a listed battery fails to take a charge, or if the charger fails, due to a defect in the first 3 years of ownership, return the battery or charger, along with proof of purchase to your dealer or warranty agent.

Metabo Service: Easy, safe, fair.



The advantages

- √ Free repairs of wear and tear
- √ Free theft protection
- ✓ Free collection and delivery

FULL SERVICE: Theft protection:

- If an authorized device is stolen, a machine of the same type (basic device, no sets) can be purchased from the Metabo dealer with a 50% discount from the manufactures RRP Incl VAT.
- The replacement unit can take over the remaining time of the Full Service contract.
- To make use of the theft protection, the theft must be reported immediately to the police. The notification with the proof of registration must be submitted within 5 working days after the theft to Metabo.
- · After successful testing, the new device is delivered to the dealer against payment of the purchase price.

Our full service: so easy – so fair

The Metabo FULL SERVICE is an optional extra which can be purchased at the same time as your machine purchase. Simply purchase a service card directly from your dealer, the full service price group can be found in the Metabo cordless catalogue and wesbite.

When registering your machine within four weeks of purchase for the standard XXL warranty, simply enter the FULL SERVICE code as found on the service card and this will automatically upgarde your warranty to the FULL SERVICE.

The service flatrates are available in the 4 tightly calculated price categories.

Full service price group Order no.	FS 1 144207090	FS 2 144207100	FS 3 144207110	FS 4 144207120
Machine	e.g. cordless drill/screwdriver PowerMaxx BS 12, orbital sander FMS 200 Intec	e.g. circular saw KS 55 FS, drill SBE 850	e.g., cordless angle grinder W 18 LTX 125 Quick, rotary hammer KHE 2644	e.g. cordless screwdriv- er BS 18 LTX BI QI, jigsaw STE 140 Plus
Cost per month	£ 1.17	£ 1.81	£ 2.36	£ 3.03
One-time cost for 36 months	£ 42.00 incl. VAT	£ 65.00 incl. VAT	£ 85.00 incl. VAT	£ 109.00 incl. VAT



3 year battery pack warranty on all Li-Power and LiHD battery packs without a restriction on charging cycles.



We give you an extra XXL warranty on all our products. Simply register your product online within 4 weeks of purchase and your standard guarantee is extended to 3 years.



Power meets endurance.

The most powerful 2-row battery pack in the world.

18 Volt - 10.0 Ah



Dealer stamp:

Metabo (UK) Ltd 25 Majestic Road, Nursling Industrial Estate, Southampton • SO16 0YT

www.metabo.com/uk



metabo

PROFESSIONAL POWER TOOL SOLUTIONS



Metabo reserves the right to change details or product specification without notice. Photographs are for illustration purposes only. No liability is accepted for printing errors.